



AQUATEC
EQUIPMENT

THE
BIG
BLUE
BINDER

DISCOVER | CREATE | ENJOY

AQUATECEQUIPMENT.COM


Always here to help...

- 1300 278 283
- sales@aquatecequipment.com
- @TeamAquatec
- www.aquatecequipment.com



AQUATEC
EQUIPMENT

At Aquatec, we are ready to take you on a journey to **ignite your imagination** and realise your dreams. A journey where you can **Discover, Create and Enjoy**.



It's time to **DISCOVER** our innovative ranges which makes us Australia's leading supplier of outdoor garden equipment and products.

It's time to **CREATE** the outdoor water feature of your dreams, complimented by only the finest of parts and accessories.

Most of all, it's time to **ENJOY**... we want you to get the most out of your experience with us from the first moments of creation until delivery of the finished product.

But it doesn't end there... we would like to stay in touch with you so that we can always be available to assist you with after-purchase advice or assistance.

We are quite a sociable bunch, so join our online community by connecting with us via Facebook, Twitter or Instagram, and watch some of our helpful videos for handy hints on our YouTube Channel.

Hop onto our website, designed to provide you with the most enjoyable online browsing experience, with plenty of ideas and inspiration to get you started.

CLICK TO JUMP TO A SECTION

- POND SYSTEMS
- SUBMERSIBLE PUMPS
- POND CARE & FILTRATION
- POND & GARDEN LIGHTING
- WATERFEATURES
- FISH FOOD & FISH NETS
- HYDROPONIC & AQUAPONIC
- POND PLUMBING
- REPLACEMENT PARTS
- AQUATEC COMMERCIAL

As always you can rely on excellent service.

Contact our sales team today on **1300 AQUATEC (278283)** or email **sales@aquatecequipment.com**

Always here to help...



Find us on
Facebook
@TeamAquatec



WHAT'S NEW?

Exciting new product updates and ranges.

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com



Look out for them all in the catalogue. We are always increasing and updating our ranges to ensure we have the best products available for you.

Firestone



POND SYSTEMS
**EPDM Rubber
Pond Liner**

PondMAX



SUBMERSIBLE PUMPS
**Submersible
Water Pumps**



AQUA-PRO
SUBMERSIBLE PUMPS
**Filter/Waterfall
Pumps**

PondMAX

POND CARE & FILTRATION

**Pressure Filter/
UV Clarifiers**



PondMAX
FISH FOOD & FISH NETS
**Premium Koi
Fish Food**

PondMAX

POND CARE & FILTRATION

**PM2600 All in One Complete
Pond Filter System**



DISCOVER | CREATE | ENJOY

POND
SYSTEMS

POND SYSTEMS

Creating your water garden
paradise all starts here.

Transform your outdoor space
into a living dream.

aquatecequipment.com

The location will be one of the most important choices you make when designing your pond or waterfeature. It is also the first step in your journey to Discover, Create and Enjoy your masterpiece.

THE RIGHT LOCATION

- » Place your pond in a location where its beauty can be enjoyed. Waterfeatures are best when visible from entertaining areas of the house.
- » Ponds should be in a location where they will receive between 4-6 hours of sunlight per day. Be sure the sunlight's reflection doesn't affect viewing.
- » Avoid placing your pond under trees, as leaves and debris will pollute the water and tree roots may damage or move the pond.
- » Consider the location of power (electricity) and water supply.
- » Consider the noise factor; water running continuously can be irritating for some at night.

RIGID PREFORMED PONDS

Rigid preformed ponds are available in many different shapes and sizes. They also vary in depth and some will have shelves for water plants. Rigid ponds, in either sanded fibreglass or poly are easy to install and are very durable. Our rock-look ponds have a 1 year guarantee. Poly ponds come with a 20 year lifetime guarantee.

Poly Pond Installation

1. Place the pond in the position you have chosen and mark the outline with a garden hose or rope. Remove the pond and excavate the hole 5cm wider and deeper than the pond dimensions.
2. Evenly line the excavation with approximately 5cm of damp sand or underlay and remove all sharp objects like stones, sticks, roots etc.
3. Using a spirit level check that the layer of sand covering the bottom of the excavation is level.
4. Place the pond into the prepared area.
5. Gradually fill the pond with water and at the same time fill in the gaps between the pond and edge of excavation with sand and topsoil. Ensure the pond remains level during this stage.



IMPORTANT

It is essential that the pond should be filled and allowed to settle for minimum of 7 days before any rocks or slabs are placed around the edge. This will allow for any movement beneath the pond due to the weight of water.

CHOOSING THE TYPE OF POND

Now that you have decided on the location of your water garden you will need to determine which type of pond is most suitable.

- » Rigid Preformed poly pond,
- » Fibreglass pond, or
- » Flexible pond liner.




POND SYSTEMS

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

FLEXIBLE LINER PONDS

Flexible pond liners allow you to create the shape and size pond that suits you and your garden. Being flexible they can conform to most designs. Pond liner is available in rolls, with widths of 2/4/6/8 and 10m. Our pond liners offer peace of mind with 10 year guarantee for PVC and 20 year guarantee for EPDM.



Calculating Liner Size

Use the easy formula below to calculate liner size.

Liner Length

Length (a) + Depth (b) x 2 + 80cm
 (40cm overlap each side under rocks)

Liner Width

Width (c) + Depth (b) x 2 + 80cm
 (40cm overlap each side under rocks)

Calculating Pond Volume

Use the easy formula below to calculate pond volume.

Length [m] (a) x Width [m] (c) x Depth [m] (b) x 1000 = Litres


eg. 4m x 6m x 1.5m Rectangle = 36m³ x 1000 litres = 36,000L

Calculate...

Pond Volume

POND SYSTEMS

POND LINER INSTALLATION




Step 1

Once you have decided where to locate your pond, lay out its shape on the ground with a piece of rope or garden hose. Next, excavate the depth of the shelves, which should be approx 20cm wide and 25cm below the water level – sloping inwards. Then dig out the rest of the pond.



Step 2


Remove all sharp stones and debris and ensure the top of the pool is even. Prepare pond area with clean sand or underlay. Drape the liner loosely over the top and lightly anchor in position with bricks or rocks evenly distributed around the liners edge.



Step 3


Run water into the pond gradually, tucking the liner into shape to ensure a neat finish. Any wrinkles present will disappear as the pond fills. Once filled allow to settle for a minimum of 7 days. Trim excess liner and complete by edging with stones or paving. See below for edge treatment methods.

POND LINER EDGE TREATMENT METHODS



POND SYSTEMS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

AQUAPRO PVC Pond Liner Packs

AQUAPRO PVC liner is the most economical way to build a pond. The liner is easy to install and has unlimited design possibilities.

FEATURES

- » **GREAT VALUE**
- » **10 YEAR UV GUARANTEE**
- » **STRONG & FLEXIBLE PVC**



PVC Pond Liner		
Code	Description	Size
01AL350	AQUAPRO PVC Pond Liner	0.35mm 3 x 2m Pack
01AL351	AQUAPRO PVC Pond Liner	0.35mm 4 x 3m Pack
01AL352	AQUAPRO PVC Pond Liner	0.35mm 6 x 4m Pack

AQUAFLEX PVC Pond Liner Rolls

AQUAFLEX PVC liner is the most economical way to build a pond. The liner is easy to install and has unlimited design possibilities. It is very durable with a 10 year guarantee. We have liner stands available for point of sale.

FEATURES

- » **VERY DURABLE, STRONG & FLEXIBLE PVC MATERIAL**
- » **IDEAL FOR LARGE PONDS**
- » **MOST ECONOMICAL OPTION FOR POND SYSTEM**



PVC Pond Liner		
Code	Description	Size
01AL002	AQUAFLEX PVC Pond Liner	0.5mm 2 x 50m Roll
01AL007	AQUAFLEX PVC Pond Liner	0.5mm 3 x 25m Roll
01AL003	AQUAFLEX PVC Pond Liner	0.5mm 4 x 25m Roll
01AL004	AQUAFLEX PVC Pond Liner	0.5mm 6 x 25m Roll
01AL005	AQUAFLEX PVC Pond Liner	0.5mm 8 x 25m Roll



AQUAPRO Pond Cover Nets





Provides protection for your pond. Complete with fixing pegs.

Pond Cover Nets		
Code	Description	Size (m)
04AC505	AQUAPRO Pond Cover Net	3 x 2
04AC506	AQUAPRO Pond Cover Net	4 x 3
04AC507	AQUAPRO Pond Cover Net	6 x 4



POND SYSTEMS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

Firestone Firestone EPDM Rubber Pond Liner

Firestone EPDM rubber pond liner is the pond liner for the professional. It is very pliable, UV resistant and easy to work with. With a 20 Year UV Guarantee this is the ultimate pond liner for the serious fish keeper or farmer.



Firestone EPDM Rubber Pond Liner

Code	Description	Size
01PR105	Firestone EPDM Rubber Pond Liner	1.1mm 3.04 x 30.5m Roll
01PR106	Firestone EPDM Rubber Pond Liner	1.1mm 4.57 x 30.5m Roll
01PR107	Firestone EPDM Rubber Pond Liner	1.1mm 6.10 x 30.5m Roll
01PR104	Firestone EPDM Rubber Pond Liner Per Square Metre	1.1mm per m ²

POND SYSTEMS

Firestone Pond Liner Repair Tape

Repair kits ideal for patching liner and performing small joins.



Pond Liner Repair Tape

Code	Description	Size
01AK038	Firestone Pond Liner Repair Tape	150mm x 7.6m

Firestone Pond Liner EPDM Primer

Liner primer is great for applying patches to liner and performing small joins.




Pond EPDM Liner Primer

Code	Description	Size
01FS021	Firestone EPDM Pond Liner Primer	1L

AQUAFLEX Pond Liner Joining Tape

The pond liner joining tape is a heavy duty double sided butyl tape that is ideal for repairing or joining PVC, EPDM and PE pond liners.



Pond Liner Joining Tape

Code	Description	Size
01AK013	AQUAFLEX Pond Liner Joining Tape	45mm x 15m

POND SYSTEMS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

PondMAX Preformed Poly Ponds

These Poly Preformed Ponds are robust, light and easy to install. All PondMAX ponds are UV stabilised and have a proven long life expectancy.

FEATURES

- » UV STABILISED
- » 20 YEAR GUARANTEE
- » MADE IN THE USA



Coquetdale



Code	Description	Size (mm)	Capacity (L)
01AC027	AQUAPRO Coquetdale Preformed Poly Pond	1120 x 860 x 340	113




Argyle

Code	Description	Size (mm)	Capacity (L)
01AA037	AQUAPRO Argyle Preformed Poly Pond	1350 x 970 x 470	185



Ennerdale

Code	Description	Size (mm)	Capacity (L)
01AE030	PondMAX Ennerdale Preformed Poly Pond	1690 x 1200 x 420	432




Coniston

Code	Description	Size (mm)	Capacity (L)
01AC031	PondMAX Coniston Preformed Poly Pond	2250 x 1350 x 500	594



Tahoe

Code	Description	Size (mm)	Capacity (L)
01AT034	PondMAX Tahoe Preformed Poly Pond	1350 x 1080 x 500	316



POND SYSTEMS

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

POND SYSTEMS

PondMAX Preformed Poly Ponds

FEATURES

- » UV STABILISED
- » 20 YEAR GUARANTEE
- » MADE IN THE USA



Dragonfly

Code	Description	Size (mm)	Capacity (L)
01AG033	PondMAX Dragonfly Preformed Poly Pond	1300 x 1100 x 500	316


Lakeland

Code	Description	Size (mm)	Capacity (L)
01AL036	PondMAX Lakeland Preformed Poly Pond	2300 x 1340 x 570	800



Windermere

Code	Description	Size (mm)	Capacity (L)
01AW035	PondMAX Windermere Preformed Poly Pond	1900 x 1320 x 480	594



AQUAPRO Round Feature Poly Ponds

These feature ponds can be free standing, buried or covered with a mesh grate.

FEATURES

- » ROBUST DESIGN
- » MADE IN ITALY
- » 20 YEAR GUARANTEE





Round Feature Poly Ponds

Code	Description	Size (mm)	Capacity (L)
01RP068	AQUAPRO Round Feature Poly Pond 910	Ø 800 (+ 35 Lip) x 300	150
01RP069	AQUAPRO Round Feature Poly Pond 1100	Ø 1050 (+ 35 Lip) x 340	280
01RP269	AQUAPRO Round Feature Poly Pond 1200	Ø 1100 (+ 40 Lip) x 670	630

POND SYSTEMS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com



Freestanding Round Ponds

PondMAX freestanding ponds are ideal for fish holding. Made using the injection moulding process, they are built tough. Suitable for freestanding or buried installation.

FEATURES

- » IDEAL FOR FISH HOLDING TANKS
- » VERY ROBUST DESIGN
- » 20 YEAR GUARANTEE



Freestanding Round Ponds

Code	Description	Size (mm)	Capacity (L)
01RP271	PondMAX Freestanding Round Poly Pond 1000	Ø960 (+ 40 Lip) x 610	400
01RP272	PondMAX Freestanding Round Pond 1450	Ø1450 (+ 40 Lip) x 760	1200



Square Feature Poly Ponds

Made from Polyethylene these vacuum formed ponds are great for formal design water gardens.

FEATURES

- » BEST SELLER
- » 20 YEAR GUARANTEE
- » MADE IN THE USA



Square Feature Poly Ponds



Code	Description	Size (mm)	Capacity (L)
01PS085	AQUAPRO Square Feature Poly Pond 850	770 x 770 (+ 50 Lip) x 300	150
01PS086	AQUAPRO Square Feature Poly Pond 1000	900 x 900 (+ 60 Lip) x 300	240



Rectangular Feature Poly Ponds

FEATURES

- » MADE IN THE USA
- » GREAT FOR FORMAL DESIGNS







Rectangular Feature Poly Ponds



Code	Description	Size (mm)	Capacity (L)
01PR090	AQUAPRO Rectangular Feature Poly Pond 1200	1200 x 600 (+ 60 Lip) x 300	200
01PR091	AQUAPRO Rectangular Feature Poly Pond 1600	1530 x 760 (+ 60 Lip) x 300	340

POND SYSTEMS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

PondMAX Rectangular Poly Ponds

Made from Polyethylene these heavy duty ponds are great for formal design water gardens.

FEATURES

- » TOUGH & FLEXIBLE



Freestanding Rectangular Poly Ponds

Code	Description	Size (mm)	Capacity (L)
01RR580	PondMAX Freestanding Rectangular Poly Pond 1050	1065 x 720 (+ 35 Lip) x 310	120
01RR581	PondMAX Freestanding Rectangular Poly Pond 1280	1205 x 775 (+ 40 Lip) x 450	400
01RR582	PondMAX Freestanding Rectangular Poly Pond 1740	1650 x 1100 (+ 45 Lip) x 600	1050

AQUAPRO Wine Barrel Liners

FEATURES

- » STACKABLE
- » 20 YEAR GUARANTEE
- » MADE IN THE USA



Wine Barrel Liner

Code	Description	Size (mm)	Capacity (L)
01AB110	AQUAPRO Wine Barrel Liner	Ø 710 x 350	100

Wine Barrel Liner Cascade

Code	Description	Size (mm)	Capacity (L)
01AB111	AQUAPRO Wine Barrel Liner Cascade	Ø 710 x 350	100



Find us on
Facebook

@TeamAquatec



POND SYSTEMS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

AQUAPRO Feature Poly Waterwall Troughs

These robust waterwall base troughs are ideal for water catchment reservoirs at the base of sheer descent waterwalls. Made from Polyethylene.

FEATURES

- » ROBUST CONSTRUCTION
- » 20 YEAR GUARANTEE



Feature Poly Waterwall Troughs

Code	Description	Size (mm)	Capacity (L)
01PW275	AQUAPRO Feature Poly Waterwall Trough 1300	1240 x 310 (+ 40 Lip) x 300	105
01PW276	AQUAPRO Feature Poly Waterwall Trough 1630	1550 x 410 (+ 40 Lip) x 300	180
01RW109	AQUAPRO Feature Poly Waterwall Trough 2320	2220 x 470 (+ 50 Lip) x 400	420

AQUAPRO Patio Ponds

FEATURES

- » BEST SELLER
- » HEAVY DUTY



YouTube

Watch the experts install one on our YouTube Channel.



Round Patio Pond



Code	Description	Size (mm)	Capacity (L)
01RP103	AQUAPRO Round Patio Pond 670	Ø 670 x 250	55

Square Patio Pond



Code	Description	Size (mm)	Capacity (L)
01SP097	AQUAPRO Square Patio Pond 900	930 x 930 x 330	180

PondMAX Square Patio Pond

Made from heavy duty fiberglass with unique locking centre support these are great for above ground waterfeatures. With fully removable lid you can also use it as a beautiful looking open top base pond for your waterfeature.

FEATURES

- » ROBUST CONSTRUCTION



Square Patio Pond

Code	Description	Size (mm)	Capacity (L)
01SP296	PondMAX Square Fiberglass Patio Pond 1100	1100 x 1100 x 300	230L

POND SYSTEMS

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com



Rock Look Ponds

These realistic looking heavy duty fibreglass ponds are the ideal foundation for any natural style water garden.

FEATURES

- » STACKABLE
- » HEAVY DUTY
- » REALISTIC LOOKING



YouTube

Watch the experts install one on our YouTube Channel.



Rock Look Ponds



Code	Description	Size (mm)	Capacity (L)
01RF700	AQUAPRO Mini Rock Look Pond	950 x 780 x 300	65
01RF701	AQUAPRO Small Rock Look Pond	1250 x 1010 x 350	100
01RF702	AQUAPRO Medium Rock Look Pond	1350 x 1060 x 380	165
01RF703	AQUAPRO Large Rock Look Pond	1780 x 1500 x 540	300



Rock Look Cascades

Realistic looking heavy duty fibreglass cascades are the ideal addition to any natural style water garden and are great value for money.

FEATURES

- » STACKABLE
- » HEAVY DUTY
- » REALISTIC LOOKING



Rock Look Cascades



Code	Description	Size (mm)	Capacity (L)
01RF710	AQUAPRO Small Rock Look Cascade	550 x 540 x 110	4
01RF711	AQUAPRO Medium Rock Look Cascade	670 x 640 x 130	10
01RF706	AQUAPRO Medium Rock Look Twin Cascade	1080 x 660 x 380	12

POND SYSTEMS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com




Rock Look Spillway

These realistic looking heavy duty fibreglass cascades are the ideal addition to any natural style water garden and are great value for money.

FEATURES

- » **ROBUST CONSTRUCTION**



Rock Look Spillway

Code	Description	Size (mm)	Capacity (L)
01PR093	PondMAX Serpentine Rock Look Spillway	1200 x 650 x 380	16



Touch 'n Foam Black Expanding Foam

FEATURES

- » **FISH SAFE**
- » **UV STABILISED**

Touch 'n Foam Landscape Filler-Adhesive is a black colored foam which bonds quickly to porous or non-porous rock, stone, cement, wood and cloth and is ideal for replacing loose mortar in rock walls. Touch 'n Foam Landscape can also be used to direct water flow in pond or waterfall applications and it's safe for use around fish or plants.



Touch 'n Foam Black Expanding Foam

Code	Description	Size (g)
01PF187	Touch 'n Foam Blk Expanding Foam	340



Black Wet Dry & Underwater Adhesive Sealant

FEATURES

- » **CURES UNDERWATER**
- » **100 % V.O.C FREE**
- » **PAINTABLE**

Idealseal MS290 is the ultimate all-round sealant and adhesive based on new MS Polymer Technology. Non-toxic, 100% V.O.C free, free of isocyanates and approved for use on self cleaning glass and will bond to dry or wet surfaces and will even cure underwater.



Idealseal MS290 Black Wet Dry & Underwater Adhesive Sealant 290ml

Code	Description	Size (ml)
01MS290	Idealseal MS290 Black Wet Dry & Underwater Sealant	290

POND SYSTEMS

Always here to help...


1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

POND SYSTEMS



NOTES

.....

.....

.....

.....

.....

.....

.....

.....

DISCOVER | CREATE | ENJOY

SUBMERSIBLE PUMPS

SUBMERSIBLE
PUMPS

Small or large pond, novice or pro, we have the right pump for the job.

With so many types of pumps for various applications, it is important to choose the right pump.

aquatecequipment.com

SUBMERSIBLE PUMPS

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

The Pond pump is the heart of the watergarden. With this in mind, it is very important to get it right. Pumps vary enormously in design and function and with this the price also varies accordingly so it is important to know the difference.

STATUARY/WATERFEATURE PUMPS

Small pumps only, often used in wall fountains, hydroponic reservoirs and Waterfeatures.

FOUNTAIN PUMPS

Suitable for garden ponds, usually come with an array of different fountain nozzles and a tee piece arrangement to run a waterfall or cascade at the same time. Fountain pumps have a pre-filter cage sponge to avoid particles from jamming the pump and blocking the nozzles. These pumps should be mounted off the bottom of the pond, e.g. on a brick.

Correct Flow And Pump Head Height

In order to choose the right pump for your pond you will need to identify both (a) the flow rate and (b) the head height or pressure on the pump. This information is usually on the pump box. The manufacturer will state the maximum flow and the maximum head. This does not mean you will get the maximum flow at the maximum head height. The maximum flow is the volume of water from the pump with no hose attached. The maximum head is the height the water will reach when there is zero flow. i.e.: max head 0 litres per hour.

Reliability

A pond pump is an amazing appliance. It not only pumps in a harsh environment but has to run 24 hours a day, 365 days a year. So when choosing a pump you need to be sure it will last and not let you down. Remember that the memory of inferior quality lasts longer than the brief joy of a cheap price. For your peace of mind you should make sure the pump is backed with a warranty and that spare parts are available. A product with a longer warranty will have a better track record for reliability and will indicate the confidence of the manufacturer in its quality.

Power consumption

With your pond pump working all day every day the cost to run it is an important factor to consider. All pumps have the wattage stated on the packaging and the unit. To work out how much your pump costs, use the below formula to calculate the approximate cost of running your pump 24hrs a day, 365 days a year.:

Wattage x 2.5
= Approx \$ to run 24 hours/365 days

Example

100 watts x 2.5 = \$250.00 to run

SUMP PUMPS





Sump pumps are inexpensive pumps used for draining ponds and transferring water. They are bottom suction and mostly come with a float switch. Sump pumps are inefficient in terms of electricity consumption and are often "non continuous" and for short intermittent pumping.



SUBMERSIBLE PUMPS

How to calculate what you need

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

Calculating Flow

To determine the correct flow you will need the pond volume. The entire volume of water in a pond should be pumped through a bio-filter every 1-2hrs minimum depending on pond size and depth. For Koi ponds it is recommended the rate be increased to every hour.

Example

Standard Pond

2,000 litres = pump 1,000-2,000 litres per hour

Koi Pond

2,000 litres = pump 2,000 litres per hour

You also need to factor in the flow calculated in Step 2 (choosing a waterfall/fountain/feature piece).

Calculating Head

To calculate the required head height, simply measure or estimate the maximum total height that your pump must move water to.

Choosing the Right Pump

Once you have the maximum head and the total flow you require, you will need to choose a pump that can operate at the required head height and flow rate as per our flow charts.

Example

Required Flow

= 3,000 litres per hour

Required Head

= 2 metres

Flow from Pump at 2.00m high

= 3,100 litres per hour

Total Flow Required*

Flow Required (L/H)

*Make sure the total required flow is circulating the entire pond as mentioned above.

Total Head Required*

Head Required (m)

*Make sure you have remembered to add the head required to run biofilter in Step 3.

THE GOLDEN RULE!





Unsure if the pump is of adequate strength/flow? Choose the next size up.



Find us on
Facebook

@TeamAquatec

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com



Every aspect, from construction through to the maintenance of your watergarden or waterfeature needs are catered for. With a unique selection process, choosing the right equipment has never been easier.




Simplified system

Choosing the right products has never been easier, with the development of a clearer product selection process, utilising simple to follow colour coding.



SUBMERSIBLE PUMPS

STEP 1 CHOOSE A WATER GARDEN TYPE




STEP 2 SELECT YOUR POND SIZE TO MATCH YOUR WATER GARDEN TYPE




TYPE 01 | WATERFEATURE PUMPS



Suitable for waterfeatures from 20cm-60cm (0.6m) high	Suitable for waterfeatures from 60cm-120cm (1.2m) high
	
Suitable for waterfeatures from 120cm-200cm (2m) high	Suitable for waterfeatures from 200cm-400cm (4m) high
	

TYPE 02 | POND & FOUNTAIN PUMPS



Suitable for small ponds up to 1.5m x 1m x 0.3m deep (50-100 litres)	Suitable for medium ponds up to 2m x 1.5m x 0.5m deep (100-1500 litres)	Suitable for large ponds up to 3m x 2m x 0.5m deep (1500-3000 litres)
		

TYPE 03 | FILTER & WATERFALL PUMPS



Suitable for medium ponds up to 2m x 1.5m x 0.5m deep (500-1500 litres)	Suitable for large ponds up to 3m x 2m x 0.5m deep (1500-3000 litres)
	

STEP 3 MATCH OPTIONAL FILTER AND ACCESSORIES TO PUMP TYPE/SIZE

TYPE 01 | WATERFEATURE PUMP ACCESSORIES



AP750 Pump	No.1 Jet Kit	12mm Tubing Pack	12 LED Light
			

TYPE 02 | POND & FOUNTAIN PUMP ACCESSORIES



AP2400 Pump	30cm Prefilter	19mm Tubing Pack	20 LED Light
			

TYPE 03 | FILTER & WATERFALL PUMP ACCESSORIES



AP6000DW Pump	AP10000UV	25mm Tubing Pack	18 LED Light
			

STEP 4 INSTALL & ENJOY

SUBMERSIBLE PUMPS

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

SUBMERSIBLE PUMPS

AQUAPRO Waterfeature Pumps

The AQUAPRO waterfeature pumps are ideal for patio ponds, statues, waterfeatures and hydroponics.

FEATURES

- » BEST SELLER
- » 2 YEAR GUARANTEE
- » FLOW ADJUSTERS



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	Flow (L/H)	
3.00		
2.50		
2.00		
1.50		
1.00	0	0
0.50	45	170
0.00	210	550
	AP210	AP550



AP210		TYPE:1 XXS		Waterfeature Pump	
Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)	
02AS008	210	0.60	2	2	



AP550		TYPE:1 XS		Waterfeature Pump	
Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)	
02AS002	550	0.95	7	2	

AQUAPRO Waterfeature/Pond Pumps

These unique pumps include built in flow adjusters, small internal pre-filter sponges & threaded intake for optional external sponge pre-filters. Coupled with silent operation, high performance and low power consumption, these are a must!

FEATURES

- » THREADED INTAKE
- » 2 YEAR GUARANTEE
- » FLOW ADJUSTERS



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	Flow (L/H)	
3.00		0
2.50		760
2.00	0	1140
1.50	250	1555
1.00	540	1900
0.50	760	2400
0.00	1050	3000
	AP1050	AP3000



AP1050		TYPE:1 SM		Waterfeature/Pond Pump	
Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)	
02AS003B	1400	1.75	24	10	



AP3000		TYPE:1 MED		Waterfeature/Pond Pump	
Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)	
02AP008B	3000	3.00	85	10	

SUBMERSIBLE PUMPS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

AQUAPRO Low Voltage Tabletop & Waterfeature Pumps

AQUAPRO low voltage pumps are a safe option for peace of mind. They are an excellent addition to our normal AQUAPRO range, all models come with 12V AC adaptors and built in flow adjusters.

FEATURES

- » SAFE LOW VOLTAGE
- » FLOW ADJUSTERS



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	
3.00	
2.50	
2.00	
1.50	0
1.00	0 170
0.50	20 480
0.00	200 750
	AP200LV AP750LV



AP200LV

Low Voltage Tabletop Feature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AL106	200	0.60	5	1.8



AP750LV

Low Voltage Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AL017	750	1.50	18	5

AQUAPRO Solar Pumps

The AP400SP, AP800SP and AP1200SP offer value for money with simple panel and pump designs.

FEATURES

- » ECO-FRIENDLY OPTION



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)		
2.00	0	0
1.50	240	290
1.00	0 475	600
0.50	170 550	850
0.00	400 800	1200
	AP400SP AP800SP AP1200SP	



AP400SP

Solar Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AS526	400	1.0	5	5



AP800SP AP1200SP

Solar Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AS522	800	2.00	8	5
02AS525	1200	2.00	12	5

NOTE: AP800SP supplied with 1 Solar Panel

SUBMERSIBLE PUMPS

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

SUBMERSIBLE PUMPS

AQUAPRO Pond & Fountain Pumps

These AQUAPRO fountain pumps feature outstanding value for money and reliability, especially the AP4800F utilising asynchronous technology. They come with a full range of fountain accessories.

FEATURES

- » GREAT VALUE PUMPS
- » 2 YEAR GUARANTEE
- » INCLUDES FOUNTAIN KIT



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	AP1000F	AP2400F	AP4800F
5.00			
4.50			
4.00			0
3.50			600
3.00		0	1200
2.50		40	1800
2.00	0	241	2400
1.50	250	722	3000
1.00	500	1444	3600
0.50	750	2167	4200
0.00	1000	2600	4800

AP1000F
Pond & Fountain Pump

TYPE ID
SM

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AF009	1200	2.0	36	10

AP2400F
Pond & Fountain Pump

TYPE ID
MED

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AF010	2600	2.8	92	10

AQUAPRO fountain kits are included with all 3 models.



AP4800F
Pond & Fountain Pump

TYPE ID
LG


Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AF011	4800	4.0	97	10

Find us on
Facebook
 @TeamAquatec



SUBMERSIBLE PUMPS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

SUBMERSIBLE PUMPS



Filter/Waterfall Pumps

AQUAPRO Filterless Pumps are ideal for situations where water is polluted or solids are present (fish waste/dead leaves). With 6mm soft solids handling capacity, these pumps need minimal maintenance.

FEATURES

- » 2 YEAR GUARANTEE
- » NO SPONGES TO CLEAN
- » USE FOR DIRTY WATER



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	AP3100DW	AP6100DW
5.00		
4.50		
4.00		0
3.50		750
3.00	0	1500
2.50	517	2250
2.00	1033	3000
1.50	1550	3750
1.00	2067	4500
0.50	2583	5250
0.00	3100	6000

AP3100DW

AP6100DW







AP3100DW				
Filter/Waterfall Pump				
Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AD940	3100	2.8	25	10



AP6100DW				
Filter/Waterfall Pump				
Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AD960	6000	4	55	10

SUBMERSIBLE PUMPS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

SUBMERSIBLE PUMPS

Multi-Use Pump

AQUAPRO high performance multi-use submersible pumps are recommended for waterwalls, fountains and waterfeatures. Made using European technology they have all ceramic drive parts for durability and silent running. The pumps can handle 3mm soft solids.

FEATURES

- » GREAT VALUE PUMPS
- » SILENT RUNNING
- » PROVEN CONTINUOUS RUNNING CAPABILITIES



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	Flow (L/H)
4.50	0
4.00	900
3.50	2600
3.00	3700
2.50	4400
2.00	5200
1.50	6000
1.00	6500
0.50	7200
0.00	7500

AP750HM



AP750HM

Multi-use Pump



Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AH550	7500	4.20	150	10

Submersible Sump Pump

The AQUAPRO Sump pump is a light duty sump pump designed for emptying out fish ponds and water reservoirs. It has an automatic float switch to turn off when the water level is low.

FEATURES

- » HANDLES UP TO 35mm SOFT SOLIDS
- » BUILT IN FLOAT SWITCH
- » 1 YEAR WARRANTY
- » NOT RATED FOR CONTINUOUS USE



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	Flow (L/H)
7.00	0
6.50	500
6.00	1250
5.50	2000
5.00	2700
4.50	3350
4.00	3450
3.50	4800
3.00	5600
2.50	6300
2.00	7000
1.50	7600
1.00	8500
0.50	9100
0.00	10000

AS1000DF



AS1000DF

Submersible Sump Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AS020	10000	7	550	10

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

PondMAX







PondMAX specialises in pump systems and pond filtration - offering innovative products of exceptional quality - a professional alternative for both the serious koi keeper and watergarden novice alike.

Every PondMAX Pump is backed by a 'No Hassle' 2+1 Year Warranty which equates to total peace of mind when purchasing a PondMAX Pump.





SUBMERSIBLE PUMPS

PONDMAX PUMPS OVERVIEW

TYPE	MODEL	DESCRIPTION
 Submersible Waterfeature Pumps	PV650, PV1200, PV1600, PM750, PM1050C, PM1350, PM2000C	PondMAX submersible waterfeature pumps are high quality statuary pumps with ceramic shafts on most models for long hassle free life. With incorporated flow adjusters these are the perfect pump for any water feature.
 Pond & Fountain Pumps	EV1900, EV2900, EV3900, EV4900	The new range of fountain pumps feature a proven quality design with extremely low wattage. They come with a range of adaptors with fountain kits sold separately. Threaded intake to adapt optional sponge prefilters. Suitable for fresh and salt water applications.
 Low Voltage Fountain Pumps	PL1000, PL2500, PL4000	The PondMAX low voltage fountain pumps are a low voltage option for peace of mind. They come with a full range of fountain accessories. Suitable for fresh and salt water applications.
 Multi-Use Pumps	EV7200, EV9200, EV11200, EV13600	Ideal for waterwalls and water features. With advanced asynchronous motor design and wear resistant ceramic bearings, they are suitable for both submersible and non submersible applications.
 High Flow Filter Pumps	PH30000, PH55000	PondMAX high flow filter pumps are very efficient high volume pumps recommended for use with filtration systems. Their low wattage and huge flow make them ideal for the professional Koi enthusiast.
 Filter/Waterfall Pumps	PU3000, PU4500, PU8000, PU12000, PU16000	These pumps will deliver high performance needs for filter systems and spectacular waterfalls, with low power consumption. Features include vortex impellor design & wear resistant ceramic bearings.

SUBMERSIBLE PUMPS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com



The PondMAX EVOII Range are a revolutionary new range of water pumps.

Features include:

- High Performance with Very Low Power Consumption
- Variable Frequency Motor Design
- Anti-burnout & Soft Start Technology
- Tool-less Assembly for Easy Maintenance
- Marine & Freshwater Compatible



SUBMERSIBLE PUMPS

PondMAX Submersible Water Pumps

The new range of fountain pumps feature a proven quality design with extremely low wattage. They come with a range of adaptors with fountain kits sold separately. Threaded intake to adapt optional sponge prefilters. Suitable for fresh and salt water applications.

FEATURES

- » HIGH PERFORMANCE
- » TOOL-LESS ASSEMBLY
- » MARINE & FRESHWATER COMPATIBLE

PUMP FLOW RATE IN LITRES PER HOUR

Head (m)				
5.00		0	0	0
4.00				980
3.00	0	750	1000	1960
2.00	360	1500	2000	2940
1.00	1080	2250	3000	3920
0.00	1800	3000	4000	4900
	EV1900	EV2900	EV3900	EV4900



EV1900
Submersible Water Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV105	1800	2.4	20	10



EV2900
Submersible Water Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV125	3000	3.4	30	10



EV3900
Submersible Water Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV155	4000	3.8	45	10



EV4900
Submersible Water Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV175	4900	5.0	60	10

SUBMERSIBLE PUMPS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com



BALL SWIVEL JOINT ADAPTOR



STEPPED HOSE TAIL



OPEN VANE IMPELLOR



ADDITIONAL CAGE FILTER COVER
(SELECT MODELS)

WATERGARDENING TO THE MAX

SUBMERSIBLE PUMPS



Submersible Water Pumps

PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	EV7200	EV9200	EV11200	EV13600
7.00			0	0
6.00	0	0	1600	1943
5.00	1200	1550	3200	3886
4.00	2400	3100	4800	5828
3.00	3600	4650	6400	7771
2.00	4800	6200	8000	9714
1.00	6000	7750	9600	11657
0.00	7200	9300	11200	13600

FEATURES

- » CAN BE POSITIONED VERTICALLY
- » TOOL-LESS ASSEMBLY
- » MARINE & FRESHWATER COMPATIBLE

EV7200

Submersible Water Pump



Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV200	7200	5.5	85	10

EV9200

Submersible Water Pump



Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV225	9300	6.0	105	10

EV11200

Submersible Water Pump



Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV250	11200	6.5	160	10

EV13600

Submersible Water Pump



Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02EV275	13600	7.0	230	10

SUBMERSIBLE PUMPS

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

SUBMERSIBLE PUMPS



Waterfeature Pumps

The PondMAX waterfeature pumps are ideal for patio ponds, statues, waterfeatures and hydroponics.

FEATURES

- » BEST SELLER
- » 2 YEAR GUARANTEE
- » FLOW ADJUSTERS



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)							
3.00	0						
2.50	0		0		280		0
2.00	0	380	380	0	610	0	150
1.50	0	325	760	0	890	250	350
1.00	283	650	1140	170	1050	540	900
0.50	567	975	1520	480	1190	760	1400
0.00	850	1300	1900	750	1350	1050	2000
	PV650	PV1200	PV1600	PM750	PM1350	PM1050C	PM2000C

C - Denotes compact model



PV650
Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02PV030	850	1.50	22	10



PV1200
Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02PV050	1300	1.85	30	10



PV1600
Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02PV075	1900	2.2	35	3



PM750
Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AS014	750	1.50	18	3



PM1050C
Compact Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AS003	1050	1.80	18	10



PM1350
Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AS004	1350	2.80	28	10





PM2000C
Compact Waterfeature Pump

Code	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02AS050C	2000	2.50	45	10

SUBMERSIBLE PUMPS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

PondMAX Low Voltage Fountain Pumps

The PondMAX low voltage fountain pumps are a low voltage option for peace of mind. They come with a full range of fountain accessories. Suitable for fresh water applications.

FEATURES

- » SAFE LOW VOLTAGE
- » 12 VOLT



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)			
4.00			0
3.50			500
3.00			1000
2.50		0	1040
2.00	0	600	1660
1.50	350	1150	2000
1.00	550	1600	2650
0.50	850	2000	3250
0.00	950	2250	3950
	PL1000	PL2500	PL4000



Low Voltage Fountain Pumps

Code	Model	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02PL031	PL1000	1000	1.95	30	10
02PL032	PL2500	2400	2.40	60	10
02PL033	PL4000	3900	4.0	110	10

PondMAX Multi-use Pumps

Ideal for waterwalls and waterfeatures. With advanced asynchronous motor design and wear resistant ceramic bearings, they are suitable for both submersible and non submersible applications.

FEATURES

- » BUILT-IN FLOW CONTROL
- » 2+1 YEAR GUARANTEE
- » SILENT OPERATION



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	
10.00	0
9.00	1800
8.00	4050
7.00	7100
6.00	10700
5.00	12800
4.00	13500
3.00	15700
2.00	17500
1.00	18500
0.00	20000
	PM16000H PM20000H

Multi-use Pumps

Code	Model	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02PH139	PM16000H	16000	6.20	230	10
02PH140	PM20000H	20000	10.0	500	10



SUBMERSIBLE PUMPS

SUBMERSIBLE PUMPS

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

SUBMERSIBLE PUMPS

PondMAX Filtration/Waterfall Pumps

These pumps will deliver high performance needs for filter systems and spectacular waterfalls, with low power consumption. Features include vortex impellor design & wear resistant ceramic bearings.

FEATURES

- » HANDLES SOLIDS UP TO 8MM
- » POWER OVERLOAD PROTECTION



Filtration/Waterfall Pumps

Code	Model	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02PD533	PU3000	3000	2.50	35	10
02PD034	PU4500	4500	3.00	65	10
02PD035	PU8000	8000	4.00	125	10
02PD038	PU12000	12000	5.00	175	10
02PD539	PU16000	16000	6.20	330	10

PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	PU3000	PU4500	PU8000	PU12000	PU16000
6.00				0	1600
5.50				0	4000
5.00			0	1200	4500
4.50			0	2400	5200
4.00		0	1200	3600	6300
3.50		0	2400	4800	7500
3.00	0	780	3180	6000	9200
2.50	540	1680	4440	7200	9400
2.00	1080	2340	5520	8400	10000
1.50	1600	3120	6420	9600	11000
1.00	2400	3900	7500	10800	13450
0.50	3000	4500	8000	12000	16000
0.00					



PondMAX High Flow Filter Pumps

PondMAX high flow filter pumps are very efficient high volume pumps recommended for use with filtration systems. Their extremely low wattage and huge flow make them ideal for the professional Koi enthusiast.

FEATURES

- » LOW POWER USAGE
- » 2+1 YEAR GUARANTEE



High Flow Filter Pumps

Code	Model	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
02PH541	PH25000	25000	4.3	290	10
02PH547	PH35000	34000	5.9	490	10
02PH548	PH55000	54000	7.9	1000	10

PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	PH25000	PH35000	PH55000
8.00			0
7.00			4000
6.00		0	11000
5.00		5700	16500
4.00	1880	11900	26000
3.00	4900	17750	33800
2.00	13800	23400	41400
1.00	19000	29500	47000
0.00	25000	35000	55000

PUMP ACCESSORIES

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

AQUAPRO Fountain Kits

These value for money complete fountain kits are an excellent addition to the AQUAPRO pump range.

All Kits can be adapted to suit other pump brands and the No. 2 Kit has an extension riser and valve to run additional pond ornaments or a bio filter.

FEATURES


- » **NO. 1 KIT** - suits AP250-AP1350
- » **NO. 2 KIT** - suits AP600-AP4000
- » **NO. 3 KIT** - suits AP7500



Bell Nozzle



Daisy Nozzle



Double Daisy Nozzle

No.1 Fountain Kit



Code	Description
04AN140	AQUAPRO No.1 Fountain Kit

No.2 Fountain Kit



Code	Description
04AN141	AQUAPRO No.2 Fountain Kit

PondMAX Fountain Kits

The PondMAX Fountain Kits have been manufactured with advanced technology to provide you with the best quality fountain kit for your pond or water feature.

These value for money complete fountain kits are an excellent addition to the PondMAX pump range. All Kits can be adapted to suit other pump brands with various nozzle types in each kit.

Fountain Kits



Code	Description	Size (mm)
02EV376	Pondmax Fountain Kit #10	Small
02EV378	Pondmax Fountain Kit #30	Medium
02EV379	Pondmax Fountain Kit #40	Large

AQUAPRO Stainless Steel Nozzles

AQUAPRO high quality stainless steel nozzles look great in any pond. They are made of high grade stainless steel and have 25mm threaded inlets.



Fontana S/S smooth bore nozzles create a perfect jet of water, ideal for use in formal design watergardens. For stunning effects add lighting – you will be amazed! Easy to install with standard BSP threaded connections.

FEATURES

- » **PROFESSIONAL QUALITY**
- » **STAINLESS STEEL**

S/S Bell Nozzle



Code	Description	Size (mm)
04AN148	AQUAPRO S/S Bell Nozzle	300

S/S Geyser Nozzle



Code	Description	Size (mm)
04AN145	AQUAPRO S/S Geyser Nozzle	25x150

S/S Smooth Bore Nozzles



Code	Description	Size (mm)
14FN133	Fontana S/S Smooth Bore Nozzle	Ø 4
14FN134	Fontana S/S Smooth Bore Nozzle	Ø 6
14FN135	Fontana S/S Smooth Bore Nozzle	Ø 8

SUBMERSIBLE PUMPS

Always here to help...


📞 1300 278 283

✉ sales@aquatecequipment.com

🌐 @TeamAquatec

🌐 www.aquatecequipment.com

SUBMERSIBLE PUMPS



NOTES

.....

.....

.....

.....

.....

.....

.....

.....

DISCOVER | CREATE | ENJOY

POND CARE & FILTRATION

With our filtration systems and treatments we make it easier for you to keep your fish healthy and your water crystal clear.

POND CARE
& FILTRATION

aquatecequipment.com

POND CARE & FILTRATION

Always here to help...

☎ 1300 278 283
✉ sales@aquatecequipment.com
f @TeamAquatec
🌐 www.aquatecequipment.com

Whether you are a beginner or experienced water gardener, you will probably have one objective and that is a clear, clean healthy pond.

THE BASICS

Ponds will be affected by various factors, such as unconsumed fish food, decomposing vegetation, and fish excrement. If these pollutants are allowed to accumulate over time they will become harmful to your fish and produce green unsightly water.

BIOLOGICAL FILTRATION

The use of biological filtration will remove these toxins (nitrate ammonia) and provides good quality water. Filters for ponds usually combine both biological and mechanical filtration.



MECHANICAL FILTRATION

Mechanical filtration removes the solid particles in the water by brushes or filter matting. Biological filtration is when bacteria living in the Bio-media converts toxic pollutants into nutrients.



POINTS TO CONSIDER

- » **Equipment & materials:** Filter sizing is based on the pond volume calculations, and fish stocking densities. Always go bigger to get better performance.
- » **Correct equipment:** Remember when making your selection that if your pond volume is close to the maximum capacity of the filter in mind then we suggest you choose the next model up. If unsure always upsize. Look for filtration with clear and product water guarantees.
- » **Completely circulating water:** All of the pond water needs to pass through the biofilter. The pump needs to be at one end and the bio-filter at the other.
- » **Continuous filtration:** Pond filtration needs to run 24 hours a day. Bacteria in the biological filter will die if it goes without water and oxygen. Bacteria can take 4-6 weeks to fully establish, and sometimes longer.
- » **Don't overstock:** Over stocking of fish will strain the pond filtration system and start producing toxic water.
- » **Use water plants:** Water plants are vital in maintaining the balance in the ponds eco system. Plants remove nitrates, increase oxygen levels and provides somewhere for your fish to hide and feel safe.
- » **Don't over feed fish:** Pond fish cannot eat a great quantity of food at one time therefore little and often must be the rule. Overfeeding increases the danger of polluting the pond.
- » **Remove/restrict pollutants & debris:** Leaves, debris and fertiliser allowed to enter the pond will all break down into ammonia, which is toxic to live stock. Remember to remove pollutants or/and use a pond net to cover the pond.

POND CARE & FILTRATION

The Nitrogen Cycle

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

The Nitrogen Cycle

In all ponds with fish you need a filter, which accelerates the nitrogen cycle and acts like a mini 'sewage treatment works'.



The cycle takes approximately 4-6 weeks to fully mature with continuous 24hr circulation.

It is essential the pump is not turned off as the good bacteria will die quickly and the cycle will be broken.



POND CARE & FILTRATION

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

Prefilter Sponges

Sponge prefilters will adapt to a variety of pumps, saving cleaning time harbouring beneficial bacteria and extending the life of your pump by reducing wear and tear.

FEATURES

» DUAL THREAD

BEST SELLER



Prefilter Sponges

Code	Description	Filter Size (mm)	Intake Size (mm)
03AF013	AQUAPRO Prefilter Sponge - Small	200 x 100 x 100	15 / 25
03AF014	AQUAPRO Prefilter Sponge - Medium	300 x 120 x 120	15 / 25
03AF015	AQUAPRO Prefilter Sponge - Large	450 x 160 x 160	15 / 25

Prefilter Sponges

Sponge prefilters will adapt to a variety of pumps, saving cleaning time harbouring beneficial bacteria and extending the life of your pump by reducing wear and tear.

FEATURES

» DUAL THREAD

BEST SELLER



Prefilter Sponges

Code	Description	Filter Size (mm)	Intake Size (mm)
03PF100	PondMAX Prefilter Sponge - F3	150 x 100 x 100	15
03PF103	PondMAX Prefilter Sponge - F11	300 x 120 x 120	15/25


Tray Prefilter

The AQUAPRO tray filter is a compact in pond biological prefilter for your pump. It contains 3 layers of foam and bio spheres and comes with a double adaptable thread for easy connection to your pump.

1 YEAR GUARANTEE

BEST SELLER

GREAT VALUE



ATF1000 Tray Prefilter

Code	Description	Filter Size (mm)	Intake Size (mm)
03AP050	AQUAPRO ATF1000 Tray Prefilter	300 x 250 x 110	15 / 25

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec


www.aquatecequipment.com



Filtration Media & Matting

Media and matting for mechanical and biological filtration.

Koi Matting - Blue



Code	Description	Size (mm)
03KM083	AQUAPRO Koi Matting - Blue	2000 x 1000 x 40

Foam Matting - Black



Code	Description	Size (mm)
03BM084	AQUAPRO Foam Matting-Black	2000 x 1000 x 25
03BM085	AQUAPRO Foam Matting-Black	2000 x 1000 x 50

Bio Balls



Code	Description	Size (mm)
03AB086	AQUAPRO Bio Balls - Large (PK 100)	∅ 42
03AB087	AQUAPRO Bio Balls - Small (PK 650)	∅ 33

Ceramic Noodles



Code	Description	Size (kg)
03ZL076	AQUAPRO Ceramic Noodles	1
03CN074	PondMAX Ceramic Noodles 25mm ∅	10

Activated Carbon



Code	Description	Size (kg)
03AC075	AQUAPRO Activated Carbon	1

Filter Brush



Code	Description	Size (mm)
03FB079	AQUAPRO Filter Brush	600 x ∅ 100



Find us on
Facebook

@TeamAquatec



POND CARE & FILTRATION

Always here to help...

- ☎ 1300 278 283
- ✉ sales@aquatecequipment.com
- 📱 @TeamAquatec
- 🌐 www.aquatecequipment.com



All in One Complete Pond Filter System

Keep your pond looking its best in just one simple step. Install the Aquapro All in One Complete Pond Filter System and enjoy the benefits of a mechanical and biological pond filter, a UV (ultraviolet) clarifier AND a beautiful water fountain kit.

Compact, submersible filter requires no complicated plumbing for dramatically simple filter installation. Built-in UV clarifier enhances pond water clarity by combating green water algae for beautiful, crystal clear water.

FEATURES

- » **COMPACT DESIGN**
- » **BUILT-IN UV CLARIFIER**
- » **EASY TO INSTALL**



All in One Complete Pond Filter System

Code	Model	Maximum Pond Size		Max Flow (L/H)	UV-C (W)	Cable Length (m)	Power (W)
		Without Fish Shaded (L)	With Fish Full Sun (L)				
03AS311	AQUAPRO All in One	Up to 2500	1000	2000	9	10	72



PM2600 All in One Complete Pond Filter System

Compact, submersible filter requires no complicated plumbing for dramatically simple filter installation. Built-in UV clarifier enhances pond water clarity by combating green water algae for beautiful, crystal clear water.

FEATURES

- » **COMPACT DESIGN**
- » **BUILT-IN UV CLARIFIER**
- » **LOW VOLTAGE**



DUAL FLOW ADJUSTOR



UV-C INDICATOR WINDOW



All in One Complete Pond Filter System

Code	Model	Maximum Pond Size		Max Flow (L/H)	UV-C (W)	Cable Length (m)	Power (W)
		Without Fish Shaded (L)	With Fish Full Sun (L)				
03PF312	PondMAX PM2600 All in One	Up to 4000	1000	2200	11	10	80

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

POND CARE & FILTRATION



Pressure Filter/UV Combos

Complete Pressurised filtration system with UV-C, integrated for crystal clear water.



AP5000UV Series II



AP10000UV Series II

Pressure Filter/UV Combos


Code	Model	Maximum Pond Size		Max Flow (L/H)	UV-C (W)	Filter Canister Size (L)	Cable Length (m)	Recommended Pump
		Without Fish Shaded (L)	With Fish Full Sun (L)					
03AP546	AP5000UV Series II	5000	1500	3000	11	20	5	AP3000DW
03AP548	AP10000UV Series II	10000	3000	6000	11	25	5	AP6000DW



Cleaning Indicator Valve



UV-C Indicator Window



Dual Action Biosponge Filtration



Unique Backwash Function



Bio-Systems

COMBINING THE BEST! Complete pump and filter systems that offer the perfect solution for any pond. Bonus PondMAX Clarifier Bacteria FREE with every unit



FEATURES

- » MULTI STAGE CLEANING
- » FREE CLARIFIER WITH EVERY UNIT



Bio-Systems

Code	Description	Maximum Pond Size		UV-C (W)	Max Flow (L/H)
		Without Fish Shaded (L)	With Fish Full Sun (L)		
03PS273	PondMAX Bio-System No. 1 (PU3000 Pump + PF4500UV Filter)	4500	3000	11	3000
03PS274	PondMAX Bio-System No. 2 (PU4500 Pump + PF9000UV Filter)	9000	4500	11	4500

POND CARE & FILTRATION

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

PondMAX

Pressure Filter/UV Clarifiers

High efficiency pressurized pond filter system with integrated UV-C using modern technology and user friendly design. These units boast crystal clear water.



FEATURES

- » INTERNAL DOUBLE ACTION BIOLOGICAL SPONGES
- » LOW MAINTENANCE BACKWASH RINSING SYSTEM
- » CAN BE USED IN-LINE FOR WATERFALLS AND WATERFEATURES



PF50000
Image for illustrative purposes only. Not to scale.

PF2500

Pressure Filter/UV Clarifier

Code	Description	Maximum Pond Size		Max Flow (L/H)	UV-C (W)	Filter Canister Size (L)	Cable Length (m)
		Without Fish Shaded (L)	With Fish Full Sun (L)				
03PE277	PondMAX PF2500 Pressure Filter/UV Clarifier	1500	1000	1500	-	16	5
03PE278	PondMAX PF2500UV Pressure Filter/UV Clarifier	2500	1000	1500	9	16	5
03PE280	PondMAX PF4500UV Pressure Filter/UV Clarifier	4500	2000	3000	11	20	5
03PE281	PondMAX PF9000UV Pressure Filter/UV Clarifier	9000	3000	4500	11	25	5
03PE282	PondMAX PF14000UV Pressure Filter/UV Clarifier	14000	4000	7000	18	35	5
03PE284	PondMAX PF2000UV Pressure Filter/UV Clarifier	20000	8000	11000	36	50	5
03PE285	PondMAX PF3000UV Pressure Filter/UV Clarifier	30000	12000	15000	55	75	5
03PE286	PondMAX PF5000UV Pressure Filter/UV Clarifier	50000	18000	16000	55	170	5



Cleaning Indicator



Dual Action Biosponges



UV Indicator Window



Unique Backwash Function



Bio Super Media

Features common to all models

Specific to PF9000, PF14000, PF20000, PF30000 & PF50000

POND CARE & FILTRATION

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

POND CARE & FILTRATION

PondMAX Stainless Steel UV Clarifiers

Built for the Professional, made under strict quality control regulations from 316 Grade Stainless Steel. The efficiency is enhanced by the UV rays reflecting off the inside of the polished Stainless Steel casing. Complete with LED warning light and sound alert.



PS40W Stainless Steel UV Clarifier 40W

Code	Description	Maximum Pond Size		Max Flow (L/H)	UV-C (W)	Cable Length (m)
		Without Fish Shaded (L)	With Fish Full Sun (L)			
03PS400	PondMAX PS40W Stainless Steel UV Clarifier 40W	40000	20000	12000	40	5

PondMAX UV Clarifiers

PondMAX UV Clarifiers will provide maximum clarity and ensure healthy conditions in your pond or aquarium.

Water passes through the UVC and is exposed to the ultra violet light which destroys algae and bacteria, achieving crystal clear water within 14 days. Use with biological filter.

Features a safety shut-off switch for globe replacement.



UV Clarifiers

Code	Description	Maximum Pond Size		Max Flow (L/H)	UV-C (W)	Cable Length (m)
		Without Fish Shaded (L)	With Fish Full Sun (L)			
03PU090	PondMAX PU09W UV Clarifier 9W	9000	4500	4500	9	10
03PU091	PondMAX PU18W UV Clarifier 18W	18000	9000	8000	18	10
03PU092	PondMAX PU36W UV Clarifier 36W	36000	18000	12000	36	10

POND CARE & FILTRATION

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com



Weighted Airline

Designed for underwater applications, Airmax® EasySet™ Weighted Airline rests on the bottom of your pond and is guaranteed not to float even when filled with air. With a thick-wall and lead-free construction.




AirMAX Weighted Airline 10mm

Code	Description	Size
03PA450	AirMAX Weighted Airline	10mm Ø x 15m Roll
03PA451	AirMAX Weighted Airline	10mm Ø x 30m Roll



AirMAX Koi Air 2 Membrane Air Diffuser

Designed to improve oxygen absorption, our diffuser membranes deliver all of the performance of air stone diffusers without the hassles of replacing cracked stones or frequent cleanings due to debris accumulation.



AirMAX Koi Air 2 Membrane Air Diffuser

Code	Description	Size
03PA410	AirMAX Koi Air 2 Membrane Air Diffuser	2 Membrane



ProAir™ Weighted Diffusers

Designed for maximum oxygen uptake, our ProAir™ Weighted Diffusers incorporate high-efficiency low-maintenance membrane sticks to release tiny oxygen bubbles into the water column.

Membrane diffusers possess the synergy of air stones without the headaches of cracking and acid-washing.

The ProAir™ Weighted Diffusers have an integrated check valve to prevent back pressure on the compressor.



ProAir™ Weighted Diffusers

Code	Description	Size
03PA411	AirMAX ProAir™ 2 Membrane Air Diffuser	2 Membrane
03PA412	PondMAX ProAir™ 4 Membrane Air Diffuser	4 Membrane

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

PondMAX Max Air Aeration Pumps

PondMAX professional aeration pumps are great for aerating larger bodies of water such as dams or lakes.

They are capable of pumping to a depth of 5m and are suitable for use outside.

FEATURES

- » IDEAL FOR LARGE PONDS OR LAKES
- » VERY ROBUST DESIGN
- » 1 YEAR GUARANTEE
- » MADE IN TAIWAN



Max Air Aeration Pump

Code	Description	Power (W)	Flow (L/min)	Cable Length (m)
03PA302	PondMAX Max Air PA40 Aeration Pump	36	40	1.8
03PA303	PondMAX Max Air PA80 Aeration Pump	83	80	1.8

PondMAX Pro Pond Vacuum

The PondMAX pond vacuum for the professional, complete with an aluminium extendable handle and anti-kink discharge pipe.

FEATURES

- » REMOVES POND SLUDGE & DEBRIS
- » DISCHARGE PIPE ADAPTS TO 20mm HOSE
- » USE AFTER TREATMENT TO REMOVE DEAD ALGAE



Pro Pond Vacuum

Code	Description	Ext. Handle (m)	Discharge Tube (mm)	Discharge Tube Length (m)
030V244	PondMAX Pro Pond Vacuum	1.1	19	3



Find us on
Facebook

@TeamAquatec

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

PondMAX

Pond Vacuum

The PV350 Pond Vacuum is an ideal tool for general maintenance on your pond or waterfeature. With a large 35L canister capacity, cleaning your pond is a breeze.

The PV350 has 2 modes; one is a manual on or off and the other is an auto mode which automatically turns off to allow the water to drain from the canister before starting up again.

FEATURES

- » IDEAL FOR EVERY POND KEEPER
- » 2 YEAR GUARANTEE
- » WET AND DRY
- » 35L CANNISTER CAPACITY



Pond Vacuum

Code	Description	Power (W)	Flow (L/H)	Cable Length (m)
030V224	PondMAX PV350L Pond Vacuum	1400	3000	10

AQUAPRO Little Pond Sucker

Cleans and empties ponds/tanks and spas and is designed to work on a standard garden hose (12mm). Includes 3m discharge hose.

BEST
SELLER

ECO
CHOICE

FEATURES

- » REMOVES POND SLUDGE & DEBRIS
- » USE AFTER TREATMENT TO REMOVE DEAD ALGAE
- » DISCHARGE PIPE ADAPTS TO 20mm HOSE



Magic Pond Sucker

Code	Description	Discharge Tube (mm)	Discharge Tube Length (m)
030V290	AQUAPRO Little Sucker	12	3

Always here to help...

- 1300 278 283
- sales@aquatecequipment.com
- @TeamAquatec
- www.aquatecequipment.com

POND CARE

All Year Round Maintenance

POND CARE & FILTRATION

A garden pond is a truly wonderful feature to have. To ensure trouble-free year round enjoyment of your pond it is essential that you maintain all features and fixtures.

How do you truly care for your garden pond in order to ensure a long time of enjoyment from it?

Here are some great tips that will tell you how to do just that.

SPRING

- » Kick-start your pond early to avoid problems.
- » Test the water with a pond test kit to make sure it is healthy.
- » Kick start essential biological cycles by using bacteria.
- » Feed fish with easy to digest pond food to rebuild energy stores.
- » Eliminate algae problems when the sunlight increases and plants are still dormant by using either a pond UV clarifier or pond liquid treatment.



SUMMER

- » Feed plants with pond tablets to keep them at their best.
- » Feed fish with quality nutritional balanced food.
- » Check water quality with a pond test kit every two weeks.
- » Control any algae problems.
- » Prevent de-oxygenation by using an air pump.
- » Consistent clouding may indicate the need for a pond clean out or the necessity to fit a biofilter.
- » Top up evaporated water & remember to condition tap water.



AUTUMN

- » Prepare the pond for it's winter dormancy.
- » Cut back/remove dying plant matter.
- » Net the pond to prevent leaves polluting the pond.
- » This is a good time for a pond clean out.
- » Change half the water and remove pond sludge.
- » Prepare fish for winter and feed with quality fish food.





WINTER

- » Remove all debris from your pond.
- » Cut-off surface growth of underwater plants.
- » Bring surface aquatic plants indoors.
- » Reduce and eventually stop feeding pond fish.
- » Ensure that your Pond is deep enough.
- » Prevent frost/ice from covering the entire pond surface.



POND CARE & FILTRATION

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

Treatment Blocks

Pond Algae Blocks are so easy to use, just throw it in your pond or aquarium and let it dissolve. They will clear your pond of algae leaving crystal clear water in no time at all.

Pond Algae Block 20g

Crystal clear water for all ponds.
Safe to use with Fish & plants.
Easy to use.



Code	Description	Treats (L)
03AB113	AQUAPRO Pond Algae Block 20g	800

Bionatural Feature Pond Block with Mosquito Repellent 35g

Suitable For any pond or waterfeature, and great for use where animals drink the water. Completely natural with no harmful chemicals.



Code	Description	Treats (L)
03AB160	AQUAPRO Bionatural Feature Block with Mosquito Repellent 35g	1000

Pond pH Test kit

Essential test kit to prevent the harmful effects from dangerous level of alkaline or acidic pond water to fish and plant life.

FEATURES

- » TESTS pH LEVELS 6.0 TO 7.6
- » EASY TO USE, SEE RESULTS IN SECONDS
- » USE WITH AQUAPRO WATER TREATMENT

Pond pH Test Kit



Code	Description	No. of Tests
03AP115	AQUAPRO Pond pH Test Kit	Up to 10 tests

Pond Treatments

Use Aquapro treatments to give your pond a fresh start. Aquapro treatments help keep water clean and provide a healthy environment for plants and animals.



Algaway

Solution for most algae & green water problems common with ornamental fish ponds



Code	Description	Treats (L)
03AA116	AQUAPRO Algaway 250mL	15000
03AG528	AQUAPRO Algaway 5L	300000

Pond Treatment & Conditioner

Neutralises and removes chlorine & ammonia. Detoxifies & binds up harmful heavy metals. Contains vitamin B to reduce fish stress.



Code	Description	Treats (L)
03AG117	AQUAPRO Pond Treatment & Conditioner 250ml	3000

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com



Bionatural Pond Treatments

Our Bionatural range is totally natural! Using natural plant extracts and bacteria strains, these treatments offer you total peace of mind. Safe to use if pets are drinking out of ponds. Great value for money.

FEATURES

- » NATURALLY ELIMINATES POND PROBLEMS
- » TOTALLY HARMLESS TO FISH, PLANTS & FILTERS
- » CONCENTRATED FORMULA



Bionatural Barley Straw Solution

Benefits: Naturally eliminates blanketweed (string algae) in your pond.



Code	Description	Treats (L)
03AB229	AQUAPRO Bionatural Barley Straw Solution 500ml	12500

Bionatural Algaway

Benefits: Clears green water and eliminates blanketweed.



Code	Description	Treats (L)
03AG121	AQUAPRO Bionatural Algaway 500ml	12500
03AG127	AQUAPRO Bionatural Algaway 5L	250000

Bionatural Feature Clean

Benefits: Keeps waterfeatures & waterwalls free of algae/staining. Safe for use in birdbaths.



Code	Description	Treats (L)
03AF126	AQUAPRO Bionatural Feature Clean 500ml	1000

Bionatural 3 in 1 Solution

Benefits: Clears green water plus string algae and also consumes pond sludge.



Code	Description	Treats (L)
03A0125	AQUAPRO Bionatural 3 in 1 Solution 500ml	12500

Bionatural Sludge Away




Benefits: Actively consumes pond slurry quickly and effectively.



Code	Description	Treats (L)
03AS123	AQUAPRO Bionatural Sludge Away 500ml	12500

POND CARE & FILTRATION

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

PondMAX Pond 3 in 1 Solution

A universal all in one treatment that clears green water plus string algae and also consumes pond sludge.

FEATURES

- » SAFE FOR FISH, PLANTS & WILDLIFE
- » TRANSFORMS YOUR POND TO CRYSTAL CLEAR
- » TREATS BLANKETWEED, GREEN WATER & POND SLUDGE



3 in 1 Pond Solution

Code	Description	Treats (L)
03P0505	PondMAX 3 in 1 Pond Solution 500ml	12500
03P0506	PondMAX 3 in 1 Pond Solution 5L	125000

PondMAX Pond Water Treatment & Conditioner

High quality dechlorinator with added aloe vera, pvp's and vitamin B to keep your fish healthy.

FEATURES

- » NEUTRALISES AMMONIA
- » REMOVES CHLORINE & CHLORAMINE
- » DETOXIFIES HARMFUL HEAVY METALS



Pond Water Treatment & Conditioner

Code	Description	Treats (L)
03PW507	PondMAX Pond Water Treatment & Conditioner 500ml	6000
03PW508	PondMAX Pond Water Treatment & Conditioner 2.5L	30000
03PW509	PondMAX Pond Water Treatment & Conditioner 5L	60000

POND CARE & FILTRATION

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

POND CARE & FILTRATION



Complete Water Treatment

Clear your pond of suspended algae, blanket weed and organic sludge with these easy to use sachets. Containing powerful enzymes, this is the easiest solution for your pond. Now you can have clean, clear and healthy water just by throwing a sachet into your pond every fortnight.

FEATURES

- » NATURALLY CLEARS ALL TYPES OF ALGAE & SLUDGE
- » CONCENTRATED FORMULA
- » CONTAINS BILLIONS OF BENEFICIAL BACTERIA
- » 6 EASY TO USE SACHETS



Complete Water Treatment

Code	Description	Treats (L)
03PC310	PondMAX Complete Water Treatment 90g (6 x 15g)	15000



String Algae Treatment Powder

Naturally clears blanket weed (string algae) in your pond. Contains unique natural plant extracts & bacteria. Highly concentrated formulation. Safe for all pondlife and harmless to aquatic plants.



String Algae Treatment Powder

Code	Description	Treats (L)
03PS239	PondMAX String Algae Treatment Powder 22.5g	6250
03PS240	PondMAX String Algae Treatment Powder 93.75g	25000



Pond Clarifier Bacteria

PondMAX Pond Clarifier Bacteria as a concentrated powder blend is highly effective at reducing ammonia, nitrates, phosphates and hydrocarbons.



22.5g

85g





337.5g / 750g

Pond Clarifier Bacteria

Code	Description	Treats (L)
03PC245	PondMAX Pond Clarifier Bacteria 22.5g	8000
03PC246	PondMAX Pond Clarifier Bacteria 85g	30000
03PC247	PondMAX Pond Clarifier Bacteria 337.5g	225000

POND CARE & FILTRATION

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

Made in the USA , the PondMAX range of Pond & Fish treatments offer high quality and superior solutions for your pond and fish needs.

POND TREATMENTS

Ponds are living breathing environments full of complex life forms that can all exist together in a well balanced ecosystem. Pond treatment products can help ponds achieve a healthier environment while also improving the aesthetics through cleaner clearer pond water.

FISH TREATMENTS

There are literally hundreds of afflictions that can affect the health of your fish. The most common maladies seen in home aquaria are usually either bacterial or parasitic in origin. Fungal infections are also sometimes seen, and occasionally physical ailments.



- BarleyMAX** Cleans & Polishes Flowing Ponds
- StatuMAX** Cleans Statues, Bubblers and Disappearing Waterfalls
- ScaleMAX** Deep Cleans Basin Pit, Cracks & Cavities
- BuffMAX** Stabilises Pond Water pH
- pHMAX** Lowers pH Levels
- CleanMAX+** Cleans Waterfalls, Plant Pots & Streams
- BactiMAX+** Removes Ammonia Nitrate
- CleanMAX** Removes Debris, Adds Oxygen & Cleans
- DetoxMAX+** Removes Chlorine
- ClearMAX** Clears Cloudy Water
- NatureMAX** Multi Purpose Cleaner

- SaltMAX** Electrolyte Intake
- MediMAX** Control Gill Disease
- ParaMAX** Control Ick, Parasites, Protozoa, Bacteria & Fungi



Find us on
Facebook
[@TeamAquatec](https://www.facebook.com/TeamAquatec)

POND CARE & FILTRATION

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

POND CARE & FILTRATION



Pond Treatments

Made in USA, the PondMAX range of pond treatments offer high quality and superior performance solutions for your pond. The range covers every aspect of pond problems.

USA
MADE

PRO
CHOICE

BarleyMAX

Previously
Nature's Choice Barley Straw Pellets

When placed in an area of steady water flow BarleyMAX will slowly degrade and emit a natural chemical that cleans and polishes pond water naturally.



Code	Description	Treats (L)
03PT085	PondMAX BarleyMAX 900g	Up to 7,500

StatuMAX

Previously
Sparkle Fountain Cleaner

StatuMAX fountain cleaner is a revolutionary product designed specifically to keep fountains, bubblers and disappearing waterfall features clean and clear all year long.



Code	Description	Treats (L)
03PT141	PondMAX StatuMAX Fountain Cleaner 236ml	Up to 303

ScaleMAX

Previously
SubLime Limescale Remover

ScaleMAX will deep clean basin pits, cracks and crevices to ensure a new appearance all year round. ScaleMAX will also help to prolong the life of fountain pumps.



Code	Description	Treats (L)
03PT151	PondMAX ScaleMAX Limescale Remover 236ml	Up to 303

BuffMAX

Previously
SapHGuard pH Buffer

BuffMAX will stabilise pond water pH and maintain buffering capacity at safe levels. BuffMAX will help prevent wide pH swings which are typical from morning to night.



Code	Description	Treats (L)
03PT061	PondMAX BuffMAX 900g	Up to 30,400

pHMAX

Previously
pHusion pH Reducer

pHMAX fuses pH lowering qualities with natural electrolytic supplements to safely lower pH levels in pond water at no more than 0.2 points per application.



Code	Description	Treats (L)
03PT053	PondMAX pHMAX 900g	Up to 121,000

CleanMAX+

Previously
D-Solv[®] Complete Pond Cleaner

CleanMAX+ is one of the fastest and most efficient water clarifiers on the market today. Works to clean unwanted aquatic debris.



Code	Description	Treats (L)
03PT011	PondMAX CleanMAX+ 470ml	Up to 36,340
03PT014	PondMAX CleanMAX+ 3.78L	Up to 290,560

BactiMAX+

Previously
OneFix Natural Clarifier

BactiMAX+ will remove ammonia, nitrite, nitrate, and organic debris (dead leaves, uneaten fish food, fish waste, etc.) Use BActiMAX+ year-round, even in the winter to keep your pond crystal clear.



Code	Description	Treats (L)
03PT043	PondMAX BactiMAX+ 940ml	Up to 241,920

CleanMAX

Previously
D-Solv[®] Complete Pond Cleaner


CleanMAX is one of the fastest and most efficient water clarifiers on the market today. Works to clean unwanted aquatic debris.



Code	Description	Treats (sq.m)
03PT023	PondMAX CleanMAX 900g	Up to 8,600
03PT024	PondMAX CleanMAX 4.5kg Dry	Up to 172,000

POND CARE & FILTRATION

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

DetoxMAX+

Previously
Vanish Dechlorinator Liquid

DetoxMAX+ will immediately remove chlorine, chloramine and heavy metals that are often present in city water supplies.



Code	Description	Treats (L)
03PT081	PondMAX DetoxMAX+ 236ml	Up to 6,050
03PT082	PondMAX DetoxMAX+ 470ml	Up to 12,100

ClearMAX

Previously
RapiClear Pond Flocculent

ClearMAX is designed to clear cloudy pond water quickly, usually within 1-3 hours depending on the size of the pond. ClearMAX will quickly restore pond water to a brilliant shine.



Code	Description	Treats (L)
03PT062	PondMAX ClearMAX 470ml	Up to 30,230
03PT063	PondMAX ClearMAX 940ml	Up to 60,560

NatureMAX

Previously
ClarityMax Plus Pond Cleaner

NatureMAX's multi-purpose cleaning action cleans ponds with barley, bacteria, enzymes and a powerful secret ingredient. These substances clean, polish and break down problematic organic materials.



Code	Description	Treats (L)
03PT032	PondMAX NatureMAX 450g Dry	Up to 30,280

PondMAX Fish Treatments

Superior quality is all your fish deserve. Treat them with the best, made in USA the PondMAX range of fish treatments have the specific application for all your fish illnesses.



MediMAX

Previously
WipeOut Bacterial Control

MediMAX is excellent for controlling gill diseases in pond and aquarium fish. Bacterial diseases generally result from fish stress due to adverse water quality conditions, habitat clean-outs & predators.



Code	Description	Treats (L)
03PT131	PondMAX MediMAX 236ml Dry	Up to 18,170

SaltMAX

Previously
ParaSalt Pond Salt

SaltMAX is formulated to increase koi and goldfish electrolytic intake. Electrolytes are critical in building and maintaining a healthy slime coat.



Code	Description	Treats (L)
03PT073	PondMAX SaltMAX 900g	Up to 1,500

ParaMAX

Previously
KnockOut Ick Control

ParaMAX is formulated for helping control Ick on pond fish. Treated correctly ParaMAX will remove ick, parasites, protozoa, bacteria and fungi from most fish species.



Code	Description	Treats (L)
03PT122	PondMAX ParaMAX 470ml	Up to 3,630

POND CARE & FILTRATION

Always here to help...


📞 1300 278 283

✉ sales@aquatecequipment.com

📱 @TeamAquatec

🌐 www.aquatecequipment.com

POND CARE & FILTRATION



NOTES

.....

.....

.....

.....

.....

.....

.....

.....

DISCOVER | CREATE | ENJOY

POND & GARDEN LIGHTING

It is impressive how stunning your water garden and outdoor space can look with the addition of a few well placed lights.

POND &
GARDEN
LIGHTING

aquatecequipment.com

POND & GARDEN LIGHTING

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

It is impressive how stunning your watergarden can look with the addition of a few well placed lights. The garden has become synonymous with enjoyment and socialising. This outdoor living space is becoming as important as the indoor living room.

THE RIGHT LOCATION

- » Planning lighting as part of the overall outdoor design will make or break how the space is used, extending hours of enjoyment with careful planning of outdoor living spaces. This fact alone makes lighting one of the most valuable features to showcase any outdoor living space and enhance the way we all experience the outdoors at night. Proper lighting layout and a range of design techniques can enhance your home and landscape perfectly.

CUSTOMISE YOUR DESIGN:

- » The design should not only work for the specific architecture being illuminated but must also factor in climate needs and changes to the architecture and landscape over any seasonal changes throughout the year.



SAFE AND EASY

- » All our LED lights are safe 12V low voltage designs and include a weighted base and garden spike in most models. They are suitable for above ground and underwater applications.

ANALYSE YOUR SPACE

- » Using low voltage lighting allows your lighting design to grow more easily with your garden's beauty and natural changes. The low voltage lights allow for easier expansion later on as trees and shrubs mature and points of interest are added like ponds, outdoor kitchens, decks etc. Since LED's are controlled by current and not voltage a larger transformer can be used from installation.

GO BEYOND ON & OFF

- » In next to no time you can create your own amazing lighting effects with the selection of lights and accessories from the PondMAX range. The opportunities are left to your imagination from soft warm white to multi-colour lighting effects.



POND & GARDEN LIGHTING

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com



LED Pond/Garden Lights

AQUAPRO LED lights offer super bright and efficient LED technology. These safe low voltage/low heat LED's come complete with a weighted base and garden spike for use in or out of your pond. Transformer included.

FEATURES

- » INCLUDES 12V TRANSFORMER & 5M LV CABLE
- » FOR USE IN OR OUT OF WATER



12 LED Warm White Pond/Garden Light



Code	Description	Watts (W)
04AL535	AQUAPRO 12 LED Warm White Pond/Garden Light	1

12 LED Warm White Pond/Garden Light - Set of 3



Code	Description	Watts (W)
04AL537	AQUAPRO 12 LED Warm White Set of 3	3



20 LED Warm White Pond/Garden Light



Code	Description	Watts (W)
04AL538	AQUAPRO 20 LED Warm White Pond Garden Light	1.5



20 LED Warm White Pond/Garden Light - Set of 3



Code	Description	Watts (W)
04AL539	AQUAPRO 20 LED Warm White Set of 3	4.5



18 LED Multi Colour Pond/Garden Light







Code	Description	Watts (W)
04AL540	AQUAPRO 18 LED Multi Colour Pond Garden Light	5.8



POND & GARDEN LIGHTING

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

LED Ring Light

LED Ring lights completely change a waterfeature when recessed into the top of the outlet. The ring light has a dual barbed hose tail fitting suitable for 12mm & 16-19mm tubing and a total outside diameter of 32mm. Can be mounted into granite and marble fountains etc.

FEATURES

- » 2 YEAR GUARANTEE
- » 12V TRANSFORMER INCLUDED



LED Ring Light

Code	Description	Colour	Watts (W)
04AL515	AQUAPRO LED Ring Light White	White	2.5
04AL570	AQUAPRO LED Ring Light Multicolour	Multi colour	2.5

Mister

These effective misters use ultrasonic vibrations to create flowing mist in your waterfeature.

FEATURES

- » CREATES COLOURED MIST
- » INCLUDES SAFE 24 VOLT TRANSFORMER



12 LED Single Disc Mister

Code	Description	Size (mm)
04AM114	AQUAPRO 12 LED Single Disc Mister	Ø 16 Disc

Replacement Ceramic Disc & Key

Code	Description	Colour
04AM020	AQUAPRO Replacement Ceramic Disc & Key	Ø 16 Disc
04AM013	AQUAPRO Replacement Ceramic Disc & Key	Ø 20 Disc



POND & GARDEN LIGHTING

Always here to help...

1300 278 283
sales@aquatecequipment.com
@TeamAquatec
www.aquatecequipment.com

POND & GARDEN LIGHTING

The PondMAX 12V lighting range offers you a series of lighting products that can be easily and safely installed by anyone, even without an electrician.

Each light, cable, transformer and accessory is fitted with 'Plug & Play' splash proof screw connectors for safe and easy connection to the low voltage power supply. Lights with daisy chain connections come with IP68 water proof connectors.

STEP 1: LIGHTING CHOICE




Select from our range of lights the models that suit your design requirement.

STEP 2: TRANSFORMER CHOICE

We recommend a transformer that is more powerful than the total number of watts being used. As a general rule, use a transformer with a supply of 50% more watts (VA = Watts) than the total amount being used.

STEP 3: ACCESSORY CHOICE

Choose from our light sensor, cables, connectors and mounting brackets. The length of cabling should not exceed 30m for each transformer being used.



1 LED Warm
Code: 04PL680

5 DAISY CHAIN

3 LED Warm
Code: 04PL681

3 LED Multi Colour + Remote

Code: 04PL682

3 DAISY CHAIN

RF Controller

Remote Lighting Dimmer
Code: 04ST420



PONDMAX 'GO BEYOND ON AND OFF' 12V LIGHTING BROCHURE

To order your free copy of our new lighting brochure and more details call us on 1300 AQUATEC or email sales@aquatecequipment.com

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com



POND & GARDEN LIGHTING

So now you know... It's easy. Go ahead and amaze others with your outdoor lighting creations.


GO BEYOND ON AND OFF.



Find us on **Facebook**
@TeamAquatec

YouTube

Watch the experts install our lights on our YouTube Channel.



POND & GARDEN LIGHTING

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

POND & GARDEN LIGHTING

PondMAX LED Pond/Garden Lights

High quality warm white LED lighting for your pond or garden. Ideal for underwater pond and garden lighting.

FEATURES

- » 5 METRE LV CABLE
- » ULTRA BRIGHT & ENERGY SAVING



1 LED Warm Pond/Garden Light

This small and compact light outputs up to an equivalent 20 Watts of halogen lights using only 1.8 Watts of power in a soft warm white light. Comes complete with weighted base and garden spike for use in or out of your pond. Transformer not included.

Code	Description	Cable Length (m)	Watts (W)
04PL680	PondMAX 1 LED Warm Pond/Garden Light	5	1.8

1 LED Warm Flat Light

Amazing LED technology in an incredibly compact light. Ideal for up-lighting waterfeatures where space is limited. This light outputs up to an equivalent 20 Watts of halogen lights using only 1.8 Watts of power in a soft warm white light. Comes complete with stabilising base for use in or out of your pond. Transformer not included.



Code	Description	Cable Length (m)	Watts (W)
04PL690	PondMAX 1 LED Warm Flat Light	1.5	1.8

3 LED Warm Pond/Garden Light

Combining the latest technology “chip” LED design with high quality glass reinforced plastic, this light is ultimate for any garden owner. This light outputs up to an equivalent 50 Watts of halogen lights using only 4.2 Watts of power in a soft warm white light. Comes complete with weighted base and garden spike for use in or out of your pond. Transformer not included.



Code	Description	Cable Length (m)	Watts (W)
04PL681	PondMAX 3 LED Warm Pond/Garden Light	5	4.2

6 LED Warm Pond/Garden Light





This light outputs up to an equivalent 75 Watts of halogen lights using only 8 Watts of power in a soft warm white light. Comes complete with weighted base and garden spike for use in or out of your pond. Transformer not included.



Code	Description	Cable Length (m)	Watts (W)
04PL685	PondMAX 6 LED Warm Pond/Garden Light	5	8

POND & GARDEN LIGHTING

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

3 LED Multi Colour Pond/Garden Light + Remote

New generation remote controllable multi-colour lighting to brighten up your pond or garden.

The RF Remote Control Box offers an easy to use 8 Colour multi-function remote control which can operate the light from up to 10m from the control box. The RF Control Box is needed to operate lights.

You can have up to 8 single colours or a series of flashing or changing modes. To daisy chain these lights, use the light offered without a remote. Comes complete with weighted base and garden spike for use in or out of your pond. Transformer not included.



Code	Description	Cable Length (m)	Watts (W)
04PL682	PondMAX 3 LED Multi Colour Pond/Garden Light	5	5.8
04PL683	PondMAX 3 LED Multi Colour Pond/Garden Light (No Remote)	5	5.8

PondMAX Transformer Adaptors

Jack Plug to Transformer Adaptor



Code	Description
04ST038	PondMAX Jack Plug to Transformer Adaptor

Transformer Plug Adaptor



Code	Description
04ST041	PondMAX Transformer Plug Adaptor

PondMAX 12V Outdoor Transformers

These outdoor rated transformers come with screw together weatherproof connectors that eliminate any tedious wiring. Output voltage and power shown in Volt Amps (VA) = equivalent to watts.

FEATURES

- » OUTDOOR RATED
- » EASY TO USE SCREW CONNECTIONS
- » SUITABLE FOR MOST 12V EQUIPMENT



12V Outdoor Transformers

Code	Description	Size
04ST016	PondMAX 12V Outdoor Transformer 20.4VA 1700ma Bi-pin	240 / 12V / 20VA
04ST017	PondMAX 12V Outdoor Transformer 30VA 2500ma Bi-pin	240 / 12V / 30VA
04ST018	PondMAX 12V Outdoor Transformer 50.4VA 4200ma Bi-pin	240 / 12V / 50.4VA
04ST072	PondMAX 12V Outdoor Transformer 72VA 10000ma Bi-pin	240 / 12V / 72VA
04ST036	PondMAX 12V Outdoor Transformer 96VA 10000ma Bi-pin	240 / 12V / 96VA
04ST019	PondMAX 12V Outdoor Transformer 150VA 10000ma Bi-pin	240 / 12V / 150VA

POND & GARDEN LIGHTING

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

PondMAX Photocell Light Sensor

Use this high quality photocell light sensor to turn your lighting on and off automatically.

Easy to use, plugs inline and senses when it is night time to switch on your lights. Can be used in any 12V system up to 100W.

Photocell Light Sensor



Code	Description
04ST430	PondMAX Photocell Light Sensor

PondMAX Remote Lighting Dimmer

Turn your lights on and off and control light intensity remotely with this dimmer module.

Simply connect inline between the power supply and any warm white light. Remote control works up to 10m, and is suitable up to 32W unless stated otherwise on product.

Lighting Remote Dimmer



Code	Description
04ST420	Pondmax Remote Lighting Dimmer

PondMAX LV Extension Cable

FEATURES

- » SUITABLE FOR UP TO 100W
- » OUTDOOR RATED
- » EASY TO USE SCREW CONNECTIONS
- » NO TOOLS REQUIRED

LV Extension Cable



Code	Description	Size (m)
04ST161	PondMAX LV Extension Cable	2
04ST037	PondMAX LV Extension Cable	10

PondMAX Multiple LV Connectors

3 Way LV Connector



Code	Description
04ST030	PondMAX 3 Way LV Connector

5 Way LV Connector



Code	Description
04ST031	PondMAX 5 Way LV Connector

POND & GARDEN LIGHTING

Always here to help...

☎ 1300 278 283

✉ sales@aquatecequipment.com

📱 @TeamAquatec

🌐 www.aquatecequipment.com



Mounting Brackets

PondMAX mounting brackets are made from reinforced nylon resin making them strong & durable.

FEATURES

- » MADE FROM REINFORCED NYLON RESIN
- » STRONG & DURABLE
- » ENABLING LIGHTS TO BE SURFACE OR POLE MOUNTED



Mounting Brackets

Code	Description	Mounting
04ST042	PondMAX Surface Mounting Bracket 1LED	Surface
04ST039	PondMAX Surface Mounting Bracket 3/6 LED	Surface
04ST043	PondMAX Pole Mounting Bracket 1 LED	Ø20mm Pole
04ST044	PondMAX Pole Mounting Bracket 3/6 LED	Ø20mm Pole



POND & GARDEN LIGHTING

Always here to help...


1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

POND & GARDEN LIGHTING



NOTES

.....

.....

.....

.....

.....

.....

.....

.....

DISCOVER | CREATE | ENJOY

WATER FEATURES

The sound of a flowing waterfeature adds an element of tranquillity and relaxation to your outdoor living space.

WATER
FEATURES

aquatecequipment.com

WATER FEATURES

Choosing your waterfall, fountain or feature.

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

All ponds need water movement. Aside from creating the desired aesthetic effect, water movement is essential for providing oxygen.



WATERFALL SELECTION

Waterfalls give a pleasant visual effect and provide the soothing sound of flowing water. For each 10mm of stream/waterfall width you need 100 litres per hour of water.

Flow/Height	
Flow Required (L/H)	
Head Height*	


*Height from water level



FOUNTAIN SELECTION

Fountain nozzles are a pleasant feature within a pond. Many pond owners prefer this to a waterfall as a means of creating interest and oxygen to the water. Remember fountain sprays can be easily effected by wind, also pumps for fountain nozzles need to have a foam prefilter to avoid clogging. The flow for the typical nozzle in the average pond is 1,000 litres per hour.

Flow/Height	
Flow Required (L/H)	
Head Height of Spray*	



WATERFEATURE SELECTION

Waterfeatures come in numerous sizes and types. The possibilities are endless; spheres, columns, tiered fountains and water panels. The required flow will vary for every different Waterfeature. Spitters need approx 600 litres per hour and larger feature pieces approx 1,000-2,000 litres per hour.

Flow/Height	
Flow Required (L/H)	
Head Height*	

CALCULATE REQUIRED FLOW/HEAD

Where two or three different features are to be operating in the one pond, the required flow of all features is added together.

Calculate	
Height of Tallest Feature (m)	

Calculate	
Combined Flow Required (L/H)	

Calculate	
Head Height of Spray*	

WATER FEATURES

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

WATERFEATURES



Acrylic Waterwalls - 30mm Lip Internal Installation

AQUAEDGE Clear Edge Waterwalls will produce both sheer descent and projecting sheet waterwall effects and with the AQUAEDGE double baffle system you are guaranteed the most consistent smooth sheet of water.

FEATURES

- » INDIVIDUALLY TESTED
- » SUITABLE FOR PROJECTING & SHEER DESCENT EFFECTS
- » SUITABLE FOR POND FEATURE OR SWIMMING POOL USE



Acrylic Waterwalls - 30mm Lip


Code	Description	Size (mm)	Entry	Inlet/s
05PW146	AQUAEDGE Acrylic Waterwall - 30mm Lip	900	Bottom	1
05PW146BA	AQUAEDGE Acrylic Waterwall - 30mm Lip	900	Back	1
05PW147	AQUAEDGE Acrylic Waterwall - 30mm Lip	1200	Bottom	2
05PW447BA	AQUAEDGE Acrylic Waterwall - 30mm Lip	1200	Back	2
05PW148	AQUAEDGE Acrylic Waterwall - 30mm Lip	1500	Bottom	2
05PW148BA	AQUAEDGE Acrylic Waterwall - 30mm Lip	1500	Back	2

ADDITIONAL INFORMATION


Type Available	Grey acrylic / clear lip
Nozzle/Lip Size	30mm
Nozzle/Lip Thickness	15mm (3mm opening)
Length	300mm,600mm,900mm,1200mm and 1500mm
Height	86mm
Width	70mm (80mm on back entry)
Recommended flow rate	Projecting waterwall – 6000 Litres per hour per metre for correct flow at the height of the trough. Sheer descent waterwall – 3000 Litres per hour per metre for correct flow at the height of the trough.
Inlet	Bottom or Back entry
Inlet Size	32mm female PVC Socket
*When Ordering, please specify bottom or back entry.	



Available in Back or Bottom Entry
* Please specify when ordering



Stronger/thicker clear edge



Installation suggestion

IMPORTANT INFORMATION

- Do not apply torque to the fittings
- Never leave Clear Edge Waterwalls in direct sunlight before or during installation
- All fittings and unit need to be supported so fittings or unit aren't stressed
- Always test the set up before gluing joins or filling the wall cavities in

WATER FEATURES

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com




Acrylic Waterwalls - 125mm Lip External Installation

AQUAEDGE Clear Edge Waterwalls will produce both sheer descent and projecting sheet waterwall effects and with the AQUAEDGE double baffle system you are guaranteed the most consistent smooth sheet of water.

FEATURES

- » INDIVIDUALLY TESTED
- » SUITABLE FOR PROJECTING & SHEER DESCENT EFFECTS
- » SUITABLE FOR POND FEATURE OR SWIMMING POOL USE



Acrylic Waterwalls - 125mm Lip


Code	Description	Size (mm)	Entry	Inlet/s
05PW142	AQUAEDGE Acrylic Waterfall - 125mm Lip	900	Bottom	1
05PW142BA	AQUAEDGE Acrylic Waterfall - 125mm Lip	900	Back	1
05PW143	AQUAEDGE Acrylic Waterfall - 125mm Lip	1200	Bottom	2
05PW143BA	AQUAEDGE Acrylic Waterfall - 125mm Lip	1200	Back	2
05PW150	AQUAEDGE Acrylic Waterfall - 125mm Lip	1500	Bottom	2
05PW150BA	AQUAEDGE Acrylic Waterfall - 125mm Lip	1500	Back	2

ADDITIONAL INFORMATION


Type Available	Grey acrylic / clear lip
Nozzle/Lip Size	125mm
Nozzle/Lip Thickness	15mm (3mm opening)
Length	300mm, 600mm, 900mm, 1200mm and 1500mm
Height	86mm
Width	70mm
Recommended flow rate	Projecting waterwall – 6000 Litres per hour per metre for correct flow at the height of the trough. Sheer descent waterwall – 3000 Litres per hour per metre for correct flow at the height of the trough.
Inlet	Bottom entry
Inlet Size	32mm female PVC Socket



Available in Bottom Entry Only



Stronger/thicker clear edge



Installation suggestion

WATER FEATURES

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com



Stainless Steel Waterwalls - 30mm Lip

AQUAEDGE Stainless Steel Waterwalls are the original and the best. AQUAEDGE waterwalls have the unique double baffle system for even and consistent water distribution.

FEATURES

- » INDIVIDUALLY TESTED
- » UNIQUE COVERED LID/LIP
- » PRECISION WELDS/POLISHED FINISH
- » NOW IN 316 STAINLESS STEEL



Stainless Steel Waterwalls can be manufacture to specifications. Please speak to one of our team members for more information.

Stainless Steel Waterwalls - 30mm Lip


Code	Description	Size (mm)	Entry	Inlet/s
05AS171	AQUAEDGE Stainless Steel Waterwall-30mm Lip	900	Bottom	1
05AS171BA	AQUAEDGE Stainless Steel Waterwall-30mm Lip	900	Back	1
05AS172	AQUAEDGE Stainless Steel Waterwall-30mm Lip	1200	Bottom	2
05AS172BA	AQUAEDGE Stainless Steel Waterwall-30mm Lip	1200	Back	2
05AS173	AQUAEDGE Stainless Steel Waterwall-30mm Lip	1500	Bottom	2
05AS173BA	AQUAEDGE Stainless Steel Waterwall-30mm Lip	1500	Back	2
05AS174	AQUAEDGE Stainless Steel Waterwall-30mm Lip	1800	Bottom	3
05AS174BA	AQUAEDGE Stainless Steel Waterwall-30mm Lip	1800	Back	3

ADDITIONAL INFORMATION


Type Available	316 S/S
Lip Size	30mm (25 mm with 5mm kick)
Inlet Size	32mm female thread
Length/ Height/ Width	Increments of 300mm/ 86mm/ 60mm
Recommended flow rate	3000 Litres per hour per metre for correct flow at the height of the trough



Available in back & bottom entry
* Please specify when ordering



Unique covered lid/lip



Installation suggestion

WATER FEATURES

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com



Remote Control LED Light Bars - Multi Colour

8 Colour multi-function remote control which can operate the light from up to 10M from the control box. You can have up to 8 single colours or a series of flashing or changing modes. Transformer and 10m of cable included.



Remote Control LED Light Bars - Multi Colour



Code	Description	Size (mm)
05AL588	AQUAEDGE Remote Control LED Light Bar - Multi Colour	900
05AL589	AQUAEDGE Remote Control LED Light Bar - Multi Colour	1200
05AL590	AQUAEDGE Remote Control LED Light Bar - Multi Colour	1500



Wood Look Trough

Realistic looking fibreglass or concrete waterfeature trough. Comes complete with cast iron hand pump, submersible pump and fittings.



Woodlook Trough

Code	Description	Size (mm)
05WT050	AQUAPRO Fibreglass Wood Look Trough & Hand Pump Kit	700 x 400 x 330
05AQ090	AQUAPRO Concrete Wood Look Trough & Hand Pump Kit	700 x 400 x 330



Cast Iron Hand Pump

Add charm to any water garden with these authentic look, fully functional cast iron hand water pumps.



Cast Iron Hand Pumps

Code	Description	Size (mm)
05HP096	AQUAPRO Cast Iron Hand Pump	450

WATER FEATURES

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

AQUAEDGE Planting Baskets

These baskets can be used for all types and sizes of aquatic plants, both above ground or in your pond. They are sturdy, made from UV stabilised plastic and are non toxic to plants and fish.




Planting Baskets

Code	Description	Size (mm)
04US118	AQUAPRO Square Planting Basket	230 x 230 x 140
04US112	AQUAPRO Square Planting Basket	240 x 240 x 150
04UR119	AQUAPRO Round Lily Planting Basket	∅ 220 x 130

AQUAPRO Floating Plant Rings

Ideal for keeping your marginal plants at the right level all the time, regardless of pond depth. Suits 22cm round and 24cm square planting baskets.




Floating Plant Rings

Code	Description	Size (mm)
04RF551	AQUAPRO Round Floating Plant Ring	220
04SF550	AQUAPRO Square Floating Plant Ring	240

AQUAPRO Floating Ducklings

The realistic looking plastic decoys and floating birds are great for scaring predatory birds. They are light weight and easy to assemble.



Floating Ducklings

Code	Description	Size (mm)
04AD077	AQUAPRO Floating Ducklings (Set of 3)	130

AQUAPRO Pond Waterlilies

The floating pond lilies are a great addition to any pond. They are realistic looking and available in 5 vibrant colours.



Floating Pond Waterlilies (Set of 3)

Code	Description	Colour
04WL093PI	AQUAPRO Floating Pond Lilies (Set of 3)	Pink
04WL093PU	AQUAPRO Floating Pond Lilies (Set of 3)	Purple
04WL093R	AQUAPRO Floating Pond Lilies (Set of 3)	Red
04WL093W	AQUAPRO Floating Pond Lilies (Set of 3)	White
04WL093Y	AQUAPRO Floating Pond Lilies (Set of 3)	Yellow

DISCOVER | CREATE | ENJOY

FISH FOOD & FISH NETS

To ensure healthy livestock in ponds and aquariums it is essential to provide good quality fish food.






FISH FOOD
& FISH NETS

aquatecequipment.com

FISH FOOD & FISH NETS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

PondMAX Premium Koi Fish Food Pellets are a superior floating pellet using specifically formulated natural ingredients of Japanese Musashi origins.

PondMAX Premium Koi Fish Food

PondMAX Koi Fish Food Pellets are a superior floating pellet using specifically formulated natural ingredients of Japanese Musashi origins. White Fish meal is imperative for digestion of freshwater fish mimicking their natural diet.

This balanced diet increases Koi immunity and contains stabilised Omega 3, Omega 6, Vitamins and Probiotics to help reduce stress, increase disease resistance and enhance natural colouring. Does not cloud or pollute water.

FEATURES

- » COLOUR ENHANCING
- » SUITABLE FOR ALL TYPES OF POND FISH
- » 10% EXTRA FREE

NUTRITIONAL ANALYSIS

Crude Protein	≥ 30%
Crude Fat	≥ 3%
Crude Fibre	≥ 5%
Ash	≥ 10%
Vitamins	A, D3, E, B1, B2, B6, B12

INGREDIENTS

White Fish Meal, Krill Meal, Wheat Flour, Soybean Meal, Wheat Germ, Rice Bran, Yeast, Garlic, Fish Oil, Omega 3, Omega 6, Probiotics, Antioxidant, Mildew Preventative.






FISH FOOD & FISH NETS

Premium Koi Fish Food

Code	Description	Size (kg)
07PK001	PondMAX Premium Koi Fish Food 3mm	1.1
07PK002	PondMAX Premium Koi Fish Food 3mm	5.5
07PK005	PondMAX Premium Koi Fish Food 6mm	1.1
07PK006	PondMAX Premium Koi Fish Food 6mm	5.5

FISH FOOD & FISH NETS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

FISH FOOD & FISH NETS

Fish Food Pellets

This floating mix is ideal for Koi and Goldfish. AQUAPRO Fish Food Pellets are formulated to ensure proper development and healthy growth.

NUTRITIONAL ANALYSIS

Crude Protein 28%
Crude Fat 4%
Crude Fibre 3%
Moisture 10%

BEST SELLER



Fish Food Pellets 1kg

Code	Description	Size (kg)
07EP234	AQUAPRO Fish Food Pellets (1mm/Small)	1
07EP238	AQUAPRO Fish Food Pellets (2mm/Small)	1
07EP240	AQUAPRO Fish Food Pellets (4mm/Medium)	1
07EP241	AQUAPRO Fish Food Pellets (6mm/Large)	1



Fish Food Pellets 15kg

Code	Description	Size (kg)
07EP035	AQUAPRO Fish Food Pellets (2mm/Small)	15
07EP036	AQUAPRO Fish Food Pellets (4mm/Medium)	15
07EP037	AQUAPRO Fish Food Pellets (6mm/Large)	15

Fish Flakes

NUTRITIONAL ANALYSIS

Crude Protein 35%
Crude Fat 4%
Crude Fibre 3%
Moisture 8%

BEST SELLER



Tropical Fish Flakes

A flake for all tropical fish, promotes health and beautiful colours.

Code	Description	Size (gm)
07TF145	AQUAPRO Tropical Fish Flakes	650

NUTRITIONAL ANALYSIS

Crude Protein 32%
Crude Fat 4%
Crude Fibre 3%
Moisture 9%



Goldfish Flakes

Powerful flake food for daily feeding of all Goldfish and cold water fish in aquariums and ponds. Easy digestion protein.

Code	Description	Size (gm)
07GF146	AQUAPRO Goldfish Flakes	650

Dried Shrimp

Dried Shrimp

Provide a complete diet of proteins, vitamins and minerals to ensure health and growth.



Code	Description	Size (kg)
07DS050	PondMAX Dried Shrimp	1

FISH FOOD & FISH NETS

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com



Commercial Grower Fish Food

Super high Protein grow food. Perfect diet for Perch, Bream and any aquaculture fish.

NUTRITIONAL ANALYSIS

Crude Protein	40%
Crude Fat	10%
Nitrogen Free Extract	16%
Crude Fibre	2%
Crude Ash	8.7%
Phosphorous	1.2%
Gross Energy (MJ/Kg)	15.69
Digestible Energy (MJ/Kg)	13.38

INGREDIENTS

Fish Meal, Oils of marine and vegetable origin, cereals, animal and vegetable protein meals, vitamins and minerals, amino acids, mould inhibitor and antioxidants.

STABILISED VITAMIN C



Commercial Fish Food

Code	Description	Size (kg)
07PG455	PondMAX Commercial Grower Fish Food (4mm/Medium)	1
07PG456	PondMAX Commercial Grower Fish Food (6mm/Large)	1



Commercial Fry Starter Fish Food

Super high Protein grow food. Perfect diet for Perch, Bream and any aquaculture fish.


NUTRITIONAL ANALYSIS

Crude Protein	45%
Crude Fat	10%
Nitrogen Free Extract	16%
Crude Fibre	2%
Crude Ash	8%
Phosphorous	1.4%
Gross Energy (MJ/Kg)	19.46
Digestible Energy (MJ/Kg)	16.81

INGREDIENTS

Fish Meal, Oils of marine and vegetable origin, cereals, animal and vegetable protein meals, vitamins and minerals, amino acids, mould inhibitor and antioxidants.

STABILISED VITAMIN C



Commercial Fry Starter Fish Food

Code	Description	Size (kg)
07PG451	PondMAX Commercial Fry Starter Fish Food (2mm/Small)	1



Automatic Fish Feeder

Large capacity (1L) feeder, weather resistant and enables auto feeding up to 6 times a day. This versatile feeder is easy to mount by your pond.

BEST SELLER

1 YEAR GUARANTEE



Automatic Fish Feeder

Code	Description	Feeding	Capacity (L)	Food Size (mm)	Energy Source
07GF220	PondMAX Automatic Fish Feeder	Up to 6 times a day	1	8	2 x 1.5V AA

FISH FOOD & FISH NETS

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

FISH FOOD & FISH NETS

AQUAPRO Aquarium Fish Nets

Great variety and quality fish nets, ideal for the serious user and any hobbyist. Perfect for use when cleaning ponds etc. Soft fine nets for delicate fish provide quick and safe catching of fish.



Aquarium Fish Nets

Soft fine nets for delicate fish provide quick and safe catching of fish.

Code	Description	Net Size (mm)	Handle Size (mm)
07AN015	AQUAPRO Aquarium Fish Net 4 inch	100 x 75	250
07AN016	AQUAPRO Aquarium Fish Net 6 inch	150 x 120	250
07AN017	AQUAPRO Aquarium Fish Net 8 inch	200 x 150	320
07AN018	AQUAPRO Aquarium Fish Net 10 inch	250 x 180	320
07AN019	AQUAPRO Aquarium Fish Net 12 inch	300 x 215	320



PondMAX Pond Fish Nets

PondMAX fish nets are great for safely catching your fish or scooping out debris from your pond.

Aluminium Fish Nets with Extension Handle

These tough aluminium nets are suitable for collecting fish and cleaning larger ponds with a handle that extends from 0.9 to 1.6m.

Code	Description	Handle Length (mm)
07ON009	PondMAX Aluminium Fish Net with Extension Handle	300 x 240



Stainless Steel Fish Net

Ideal for small garden ponds, durable Stainless Steel construction and easy to manage 1m handle.

Code	Description	Size (mm)
07PN020	PondMAX Stainless Steel Fish Net	300 x 210



Aluminium Fish Net

Ideal for the serious pond keeper and aqua-culturist, this net is lightweight aluminium with a 1.2m long handle.

Code	Description	Size (mm)
07PN021	PondMAX Aluminium Fish Net	400 x 450



Koi Pan Net

A must for Koi enthusiasts, this pan net is light weight aluminium with a 1.5m long handle.

Code	Description	Net Size (mm)
07PN022	PondMAX Koi Pan Fish Net	Ø 550
07PN023	PondMAX Koi Pan Fish Net	Ø 700



FISH FOOD & FISH NETS

Always here to help...

📞 1300 278 283

✉️ sales@aquatecequipment.com


📱 @TeamAquatec

🌐 www.aquatecequipment.com

velda Pond Fish Nets

brings life to your pond

New velda nets, including a telescopic handle. The nets have been incorporated in the frame in a unique way to avoid damage to the net.



Square Fish Net

High quality fish nets from Velda. Reinforced rim, dual mesh size and sturdy extension handle with wrist strap for years of pain free use.

Code	Description	Size (mm)
07VN025	velda Square Fish Net 350mm with 1800mm Ext Handle	350



Round 35cm Fish Net

High quality fish nets from Velda. Reinforced rim, dual mesh size and sturdy extension handle with wrist strap for years of pain free use.

Code	Description	Size (mm)
07VN024	velda Round Fish Net Ø350mm with 1800mm Ext Handle	300 x 240



Find us on
Facebook

@TeamAquatec



FISH FOOD & FISH NETS

Always here to help...


📞 1300 278 283

✉️ sales@aquatecequipment.com

🌐 @TeamAquatec

🌐 www.aquatecequipment.com

FISH FOOD & FISH NETS



NOTES

.....

.....

.....

.....

.....

.....

.....

.....

DISCOVER | CREATE | ENJOY

HYDROPONIC & AQUAPONIC

Whether its your hobby or you are setting up a commercial operation, rest assured, we have the best equipment for the job.

HYDROPONIC
& AQUAPONIC

aquatecequipment.com

HYDROPONIC & AQUAPONIC

Always here to help...

- ☎ 1300 278 283
- ✉ sales@aquatecequipment.com
- 📱 @TeamAquatec
- 🌐 www.aquatecequipment.com

HYDROPRO pumps are high quality statutory pumps with ceramic shafts, in most models for long hassle free life. With incorporated flow adjusters these are the perfect pump for any application.

hydro pro Water Pumps

FEATURES

- » BUILT-IN FLOW CONTROL
- » ROBUST IMPELLOR DESIGN
- » 1 YEAR GUARANTEE



PUMP FLOW RATE IN LITRES PER HOUR

Head (m)	HP550	HP850	HP1100
2.50			0
2.00		0	263
1.50	0	125	525
1.00	275	500	788
0.50	550	750	1050
0.00			



Water Pumps

Code	Description	Flow (L/H)	Head (m)	Power (W)	Cable Length (m)
09HP550	HydroPro Waterfeature HP550	550	0.95	10.5	2
09HP850	HydroPro Waterfeature HP850	750	1.5	26	2
09HP110	HydroPro Waterfeature HP1100	1050	1.95	37	2

hydro pro 24/7 Digital Timer with 30A Load Switch

Heavy duty timer with 30A load switch and high wattage capacity for any application.

FEATURES

- » 1 YEAR GUARANTEE
- » 16 CONFIGURATIONS PER DAY
- » RANDOM FUNCTION



24/7 Digital Timer

Code	Description	Rated Amps	Rated Wattage (W)
09DT001	Hydropro 24/7 Digital Timer	10	2400

HYDROPONIC & AQUAPONIC

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

HYDROPONIC & AQUAPONIC



Air Pumps

HYDROPRO Air Pumps are extremely quiet, reliable and come in a compact and efficient design. Easy to change diaphragm assembly.

FEATURES

- » HI/LOW AIR FLOW CONTROL
- » LOW NOISE
- » HIGH AIR PRESSURE



Air Pumps


Code	Description	Flow (L/M)	Power (W)
09HZ100	HydroPro Airpump Z-1000	2	2.5
09HZ200	HydroPro Airpump Z-2000	2 x 2.5	5
09HZ300	HydroPro Airpump Z-3000	2 x 3.5	8
09HZ400	HydroPro Airpump Z-4000	2 x 4.5	10



PondMAX Aquaponic Drain Pipe & Screen

The Flood and Drain pack includes the fittings to assist in the delivery and return of the nutrient in a Hydro & Aquaponics set up.

The extra wide, dual rubber washers seal around penetrations. Depending on how many of the 3 extensions pieces have been used, height adjustment of flooded level may be achieved. The screen stops growth media clogging up the return flow section.



Aquaponic Drain Pipe & Screen

Code	Description	Size
10PD120	PondMAX Aquaponic Drain Pipe & Screen	12mm 19mm 25mm barbed connector

HYDROPONIC & AQUAPONIC

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

Airlines

PVC Airline - Clear

High quality and all-purpose, it will fit all standard air outlets.



Code	Description	Size
08AS041	AQUAPRO PVC Airline – Clear	Ø 4mm x 76m Roll

Silicon Airline - Green

Kink resistant, soft and pliable and will not harden.



Code	Description	Size
08AS040	AQUAPRO PVC Airline – Green	Ø 4mm x 76m Roll

Airstones

PVC Airline - Clear

High Performance ceramic airstones that produce fine bubbles. Long lasting and easy to clean. Airstones work to reduce the size and noise of larger bubbles.



Code	Description	Size
08AA093	AQUAPRO Airstone	25 x Ø 15
08AA095	AQUAPRO Airstone Ball	Ø 50
08AA094	AQUAPRO Airstone	75 x Ø 15
08AA096	AQUAPRO Airstone	80 x Ø 30
08AA097	AQUAPRO Airstone	130 x Ø 30

Aquaponics GrowQube

Aquaponics GrowQube

Made from heavy duty fibreglass. Ideal for starter systems. Suitable for Aquaponics & Hydroponics.



Code	Description	Size (mm)	Capacity (L)
09AC104	Aquaponics GrowQube	900 x 900 x 900	730
09AC104K	Aquaponics GrowQube Kit	900 x 900 x 900	730



Find us on
Facebook

@TeamAquatec



HYDROPONIC & AQUAPONIC

Always here to help...


📞 1300 278 283

✉ sales@aquatecequipment.com

📱 @TeamAquatec

🌐 www.aquatecequipment.com

HYDROPONIC & AQUAPONIC



NOTES

.....

.....

.....

.....

.....

.....

.....

.....

DISCOVER | CREATE | ENJOY

POND PLUMBING





High quality plumbing components are essential in every water garden design.

POND
PLUMBING

aquatecequipment.com

POND PLUMBING

Always here to help...

-  1300 278 283
-  sales@aquatecequipment.com
-  @TeamAquatec
-  www.aquatecequipment.com

The correct pump and plumbing combination will deliver the best flow rates to your pond. We are happy to assist you in choosing the right components for any size project.

PondMAX Tank Connector & Cable Gland

The PondMAX Tank Connector & Cable Gland is ideal for transitioning your cables and pipework seamlessly through your pond wall, hiding any pipework/cables underground and below the surface of the pond.

FEATURES

- » COMPLETE KIT
- » 2 CONFIGURATIONS



Tank Connector & Cable Gland


Code	Description	Size
10PC100	PondMAX Tank Connector & Cable Gland	20/25/32/40/50

PondMAX Y Piece Connector

Need to divert some of your flow to a feature or do you have 2 different inlet returns back to your pond? Now it's easy with this Y piece diverter. Simply connect your tubing and now you can precisely control the flow for your requirements.

FEATURES

- » CONTROL FLOW
- » DIVERT 2 OUTLETS



Y Piece Connector

Code	Description	Size (mm)
10PY050	PondMAX Y Piece diverter and valve	25/32/40

AQUAPRO Feature Pot Conversion Kit

Pot converter kit will make it easy to convert any ceramic planting pot into a Waterfeature. Complete with rubber washers and multi-size hose connectors.



Feature Pot Conversion Kit

Code	Description
10PK110	AQUAPRO Feature Pot Conversion Kit

AQUAPRO Ribbed Hose

Anti-kink UV stabilised ribbed hose with internal smooth bore surface for better water flow and less friction.



Ribbed Hose

Code	Description	Size
10RP101	AQUAPRO Anti-kink Tubing	Ø 12mm x 3m Prepack
10RP102	AQUAPRO Anti-kink Tubing	Ø 20mm x 3m Prepack
10RP103	AQUAPRO Anti-kink Tubing	Ø 25mm x 3m Prepack

POND PLUMBING

Always here to help...

1300 278 283
 sales@aquatecequipment.com
 @TeamAquatec
 www.aquatecequipment.com

POND PLUMBING

PondMAX Heavy Duty Ribbed Tubing

UV stabilised, ribbed hose. The design makes it almost impossible to crush or kink. Internal smooth bore surface for better water flow and less friction.

Recommended Pipe size for Flow Rate

Pipe Size (Internal Diameter)	Litres/min	Litres/hr
20mm	27	1620
24mm	50	3000
32mm	100	6000
40mm	140	8400
50mm	200	12000

Note: This is an approximate guide when selecting tubing size in a pond plumbing environment not longer than a 3m run.




Ribbed Tubing

Code	Description	Size
10PR012	PondMAX Heavy Duty Ribbed Tubing	Ø 12mm x 30m Roll
10PR013	PondMAX Heavy Duty Ribbed Tubing	Ø 20mm x 30m Roll
10PR014	PondMAX Heavy Duty Ribbed Tubing	Ø 25mm x 30m Roll
10PR015	PondMAX Heavy Duty Ribbed Tubing	Ø 32mm x 30m Roll
10PR016	PondMAX Heavy Duty Ribbed Tubing	Ø 40mm x 30m Roll
10PR017	PondMAX Heavy Duty Ribbed Tubing	Ø 50mm x 30m Roll

PondMAX Hose Clamps (Set of 4)

304 Stainless Steel Hose Clamps that are specifically designed for ribbed/anti-kink hose.



Hose Clamps

Code	Description	Size (mm)
100C023	PondMAX Hose Clamp (Set of 4)	Ø 12
100C024	PondMAX Hose Clamp (Set of 4)	Ø 20
100C025	PondMAX Hose Clamp (Set of 4)	Ø 25

Code	Description	Size (mm)
100C026	PondMAX Hose Clamp (Set of 4)	Ø 32
100C027	PondMAX Hose Clamp (Set of 4)	Ø 40
100C028	PondMAX Hose Clamp (Set of 4)	Ø 50

AQUAPRO Hose Clamps (Set of 4)

Hose Clamps that are specifically designed for ribbed/anti-kink hose.

FEATURES

» 304 STAINLESS STEEL



Hose Clamps

Code	Description	Size
10AC033	AQUAPRO Hose Clamps (Set of 4)	Ø20
10AC034	AQUAPRO Hose Clamps (Set of 4)	Ø25

DISCOVER | CREATE | ENJOY

REPLACEMENT PARTS

aquatecequipment.com

REPLACEMENT
PARTS

DISCOVER | CREATE | ENJOY

AQUATEC COMMERCIAL

When was the last time you saw
something for the first time?

aquatecequipment.com

AQUATEC
COMMERCIAL

AQUATEC COMMERCIAL

Always here to help...

1300 278 283

sales@aquatecequipment.com

@TeamAquatec

www.aquatecequipment.com

Our team of consultants will be able to assist you in selecting the best fountain or feature according to your specific requirements.

PROFESSIONAL FOUNTAIN SOLUTIONS

Professional Fountain Solutions is our philosophy, and is a true representation of the way Aquatec and our partner Fontana operate. Our entire process for each client is individual; beginning with initial contact, following through to the final commissioning of your unique work of art.


We ensure your experience is seamless from start to finish; this guarantees the end result meets your every requirement and exceeds your expectations.

Fontana uses 100% German Stainless Steel in the construction of their fountains. Combined with precision engineering, state-of-the-art machinery, and complimented by some of the world's most skilled technicians to produce fountain equipment of unrivalled quality and durability.

For more than 44 years, Fontana have used Grundfos pumps as the heart of their fountains, guaranteeing problem-free operation, day-in day-out in the harshest environments.

“Nothing but the best is good enough.”

Sophisticated control systems and USA made LED chips, are used to create spectacular fountain effects that will take your breath away. Cree Inc. LED components' are integral to each Fontana thesmartled™ light, resulting in one of the highest performing luminaires in its class, stunningly powerful, beautiful and truly intelligent. Our promise is to guide and assist you every step of the way, including dedicated aftersales support.



- FOUNTAIN SYSTEMS
- FLOATING FOUNTAINS
- FOUNTAIN KITS
- SPRAY SYSTEMS
- LEVEL CONTROL
- UNDERWATER & OUTDOOR ILLUMINATION
- LAKE & POND MANAGEMENT



Our friendly team can be contacted on 08 6260 1000 or via email sales@aquateccommercial.com for an obligation free consultation and to answer any questions you may have.

aquateccommercial.com

AQUATEC COMMERCIAL

Always here to help...


📞 1300 278 283

✉ sales@aquatecequipment.com

🌐 @TeamAquatec

🌐 www.aquatecequipment.com

AQUATEC COMMERCIAL



NOTES

.....

.....

.....

.....

.....

.....

.....

.....

DISCOVER | CREATE | ENJOY

POND SYSTEMS
SUBMERSIBLE PUMPS
POND CARE & FILTRATION
POND & GARDEN LIGHTING
WATERFEATURES
FISH FOOD & FISH NETS
HYDROPONIC & AQUAPONIC
POND PLUMBING
AQUATEC COMMERCIAL



37 EDISON CIRCUIT, FORRESTDAL WA 6112

HOTLINE 1300 AQUATEC

T +61 (8) 6260 1000 | F +61 (8) 6260 1099

E SALES@AQUATECEQUIPMENT.COM

AQUATECEQUIPMENT.COM

DISCLAIMER

Whilst every effort has been made to ensure the accuracy of the information contained herein, Chemkay Pty Ltd trading as Aquatec Equipment accepts no liability for any loss or damage direct or consequential arising out of, or in relation to, the use or application of the said information or products referred to herein. All information is believed to be correct at the time of printing and Aquatec reserves the right to change product specifications and/or images without notification. No part of this catalogue may be reproduced/stored or transmitted without prior permission. E.&O.E.